



P.O. Box 552  
Warners Bay NSW 2282

5 Laverick Avenue  
Tomago NSW 2322

## STOCKLIST SEPTEMBER 2019

PAGE 2-4	<a href="#">4140</a>				
PAGE 5-6	<a href="#">4340</a>				
PAGE 7	<a href="#">1045</a>				
PAGE 78	<a href="#">M1020</a>				
PAGE 9	<a href="#">1030</a>				
PAGE 10	<a href="#">8620</a>				
PAGE 11-12	<a href="#">VARIOUS</a>	EN36A 300 PLUS 17CrNiMo6	EN26 XK1320	EN39B 1141	EN25 XK9261S
PAGE 13	<a href="#">1214</a>				
PAGE 14	<a href="#">12L14</a>				
PAGE 15-16	<a href="#">CHROME</a>	4140	1045		
PAGE 17-18	<a href="#">HEXAGONS</a>	4140 12L14	1045	1214	
PAGE 19	<a href="#">SQUARE</a>	1214 4140	1045 1020	12L14	
PAGE 20	<a href="#">FLAT</a>	M1020 U1010	1004B	1016	
PAGE 21	<a href="#">HOLLOW</a>	4140	CARBON		
PAGE 22	<a href="#">ST52 HYDRAULIC TUBE</a>				

**ALL STOCK SUBJECT TO PRIOR SALE**

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: [sales@milltechmartinbright.com](mailto:sales@milltechmartinbright.com)

[www.milltechmartinbright.com](http://www.milltechmartinbright.com)

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
8			1.1 h10	
10			2.7 h10	
12			0.5 h10	
12.7			2.4 h10	
13		10 - COIL		
14	4.6 - COIL	4 - COIL	0.25 h10	
14.28			0.3 h10	
14.55			2.6 CD	
16	5 - COIL			
17.5	29 - COIL (DEC)			
20	8 (SEPT)	6		
21	4 (SEPT)	2		
22		2.5	0.7 h10	
22.22			0.3 h10	
23	8 (DEC)	2.5		
24	5 (OCT)	8.3		
25	5.8			
26	2			
27	24 (SEPT)	21.6		
28	4 (DEC)	8		
30	3.7	18		
31.75				0.3 h9
32	2			
33	30 (SEPT)		0.8 k12	
34.92				0.2 h9
35		8.5		
38		5	1.5 h10	
39	21	6.8		
40	23	27		
41.27				0.7 h9
42	30 (SEPT)	5	0.2 k12	
44.45				5 h8
45	7.3	3.4		
46		27	0.9 k12	
48	20			
50	14	12.7		
50.8				2 h8
52	38	16		
53		0.5		
54	18 (SEPT)			
55.5			2.5 k12	
56		12		
57.15			0.3 k12	
60	35			
63		0.8		
63.5				10 h8
64	24 (SEPT)	33		
65	18 (SEPT)	20.8		
68.5	30 (SEPT)	11		

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
69.85			1 h10	0.3 h8
70		35		
75		32		1.5 h8
76.2			0.4 k12	
80	55	8.6		
82.55			0.25 k12	
85	40 (SEPT)	2		
88.9				0.2 h10
90	40 (SEPT)	3.5		
95	40 (SEPT)		2.6 k12	
100	13 (SEPT)			1.7 h8
101.6			0.4 k12	
105	49.4	57	0.8 k12	
110	15		0.4 h10	
115	14	6		
120	1	3		
125	24 (DEC)	13.8		
130	12.8 (SEPT)			
135	30 (DEC)	0.9		
136			0.6 k12	
140	23 (SEPT)			
145	8.5		1.6 k12	
146			1.5 k12	
150	23	19		
160	23 (SEPT)			
165		10.6	3 k12	
170	15 (SEPT)	7.6		
180	24 (SEPT)	6		
185	28.8			
190	16 (DEC)	7.4		
200	19 (SEPT)			
210	15	7.8		
220	14.8	10.6		
230		8		
240	16 (DEC)			
250		4.5		
260		5.4		
270		2.7		
280		18.2		
290	5 (NOV)			
300		3.4		
310			6.5 MACHINED	
320			6 - AF MACHINED (FEB)	
330			19 - AF MACHINED	
340			5 - AF MACHINED (FEB)	
350			8 - MACHINED	
380			5.8 - MACHINED	

<b>4140</b>				
<b>DIA</b>	<b>AS ROLLED</b>	<b>QUENCH &amp; TEMPERED</b>	<b>QUENCH &amp; TEMPERED BRIGHT</b>	<b>QUENCH &amp; TEMPERED PRECISION GROUND</b>
400			15.6 - MACHINED	
410		8.5	10 - MACHINED	
460			6.9 - MACHINED	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
18			0.2 AR k12	
19.05			0.1 h10	
20	3.5 (NOV)			0.5 h8
25		1		
25.4				0.5 h8
28	2.5 (SEPT)			
30	3.3 (SEPT)			
35		4.8		
38.1				0.2 h8
40	4.1			
42	6 (DEC)	2.5		
45		5.7		0.8 h8
48	8 (DEC)	1.7		
50	5.7 (SEPT)			
50.8			0.5 h10	
53		9.4		
55		3		0.7 h8
60	15 (SEPT)			0.6 h8
63.5				0.3 h8
68	3			
70	5.3 (SEPT)			
75	4.8			
80	7.1	1.1		
85	8 (DEC)		0.5 k12	
90		7		
95	6			
100		5.2		
110	11.5			
112			6.5 k12	
115	4.8 (SEPT)			
120	13 (DEC)		0.5 k12	
125		12		
140	2.5	8.5		
142			1.4 k12	
145	8 (DEC)			
150	4 (JAN)	7.5 (OCT)	0.8 k12	
160	7.5	1.5		
170	12 (SEPT)			
180	4 (DEC)		2.4 k12	
184.15	1.2			
190	6.7 (SEPT)			
200	7.5 (JAN)			
210	3 (DEC)	10		
220	10 (DEC)			
230	6 (JAN)			
240	8 (DEC)			
250	8 (NOV)			
260	16 (DEC)			
280			5.5 MACHINED	

<b>4340</b>				
<b>DIA</b>	<b>AS ROLLED</b>	<b>QUENCH &amp; TEMPERED</b>	<b>QUENCH &amp; TEMPERED BRIGHT</b>	<b>QUENCH &amp; TEMPERED PRECISION GROUND</b>
300			12.9 MACHINED	
310			7.4 MACHINED	
320	5 (JAN)			
380			5 MACHINED (JAN)	

## 1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
9.52	BRIGHT	2.5	60	BLACK	53
10	BRIGHT	2.4	60	BRIGHT	0.7
11.2	COIL	3	64	BLACK	5
12.5	COIL	2.6	65	BLACK	27.5
14	COIL	19	68.5	BLACK	20 (SEPT)
15.87	BRIGHT	2.6 (6M)	70	BLACK	8 (SEPT)
15.87	BRIGHT	1.4 (3.7M)	70	IH PP h10	1
16	BLACK	12	75	BLACK	30 (SEPT)
16	BRIGHT	0.4	76	BLACK	12
17	COIL	11.8	80	PG	0.9
18	COIL	2.8	80.96	PG	0.2
18	BLACK	8	85	BLACK	24 (SEPT)
19	BLACK	11	85	PP h10	1
19.05	BRIGHT	3.1	88.9	PP h10	2.4
19.7	COIL	4.4	90	BLACK	20 (SEPT)
20	BLACK	2	95	BLACK	30 (SEPT)
20	BRIGHT	1.2	100	BLACK	20
21.7	BRIGHT	4.6	105	BLACK	16 (DEC)
22	BLACK	13	110	PP h10	14 (DEC)
22	BRIGHT	0.5	114.3	PP h10	0.5
22.22	BRIGHT	1	115	BLACK	1
24	BLACK	15	120	BLACK	23 (DEC)
24	BRIGHT	0.4	125	BLACK	14 (SEPT)
25	BRIGHT	0.9	130	BLACK	11.5
25.4	BRIGHT	2.4	135	BLACK	16 (DEC)
25.8	BRIGHT	1	140	BLACK	13 (DEC)
26	BLACK	0.7	145	BLACK	7 (DEC)
27	BLACK	4	150	BLACK	7.6
28.57	BRIGHT	4	160	BLACK	5.3
30	BLACK	5	170	BLACK	6.4
32	BLACK	11	180	BLACK	6
33	BLACK	4.3	184.15	BLACK	10.3
33	BRIGHT	1.6	190	BLACK	5 (DEC)
34	BRIGHT	0.3	200	BLACK	13
35	BLACK	4.7	210	BLACK	7 (SEPT)
35	BRIGHT	4.3	230	BLACK	17 (NOV)
36	BLACK	20	240	BLACK	2 (SEPT)
36.51	BRIGHT	0.6	250	BLACK	2.3
39	BLACK	11	260	BLACK	5 (DEC)
40	BLACK	9	270	BLACK	8 (DEC)
40	BRIGHT	1.4	280	BLACK	8 (DEC)
41.27	BRIGHT	0.2	290	BLACK	6.3
42	BLACK	49	300	BLACK	3.4
45	BLACK	4	300	MACHINED	6
46.5	BLACK	7	310	MACHINED	3.5
48	BLACK	25	320	MACHINED	3.2
50	BLACK	25.6	330	MACHINED	12.7
52	BLACK	35.8	350	MACHINED	13.3
53.97	BRIGHT	0.1	360	MACHINED	4.6
54	BLACK	20 (SEPT)	370	MACHINED	4
55.56	BRIGHT	0.7	380	MACHINED	4.8
56	BLACK	15	420	MACHINED	11.7
			460	MACHINED	5

## M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT	0.5 (SEPT)	42	BLACK	8.5
5	BRIGHT	0.7	42	BRIGHT	1.6
6	BRIGHT	4 (SEPT)	44.45	BRIGHT	0.3
6.35	BRIGHT	2.5 (SEPT)	45	BLACK	31.5
9	BRIGHT	4.2	49.97	BRIGHT	0.6
9.52	BRIGHT	1.6	50	BLACK	4
10	BRIGHT	0.4	52	BLACK	47.4
11.11	BRIGHT	3.3	56	BLACK	17
11.2	COIL	16.3	57.15	BRIGHT	1.7
12	COIL	5.9	60	BLACK	25
12	BRIGHT	0.5	63.5	BRIGHT	1
12.7	BRIGHT	2.5	64	BLACK	30 (SEPT)
13	COIL	2.3	65	BLACK	22
14	COIL	13.3	68.5	BLACK	9
14	BRIGHT	0.8	69.85	PEELED	1.1
15	COIL	8.8	70	BLACK	7.1
15	BRIGHT	0.25	75	BLACK	14
1587	BRIGHT	0.9	80	BLACK	22
16	COIL	13 (SEPT)	82.55	PEELED	1.2
16	BRIGHT	0.6	85	BLACK	12
17	COIL	2.9	90	BLACK	20 (SEPT)
17	BRIGHT	0.8	95	BLACK	15
18	BRIGHT	1.2	100	BLACK	5.8
19	BRIGHT	1.5	105	BLACK	35
19.05	BRIGHT	3.8	110	BLACK	22
19.96	BRIGHT	0.5	114.3	PEELED	0.5
20	COIL	42	115	BLACK	3 (SEPT)
21	COIL	100 (NOV)	120	BLACK	2.3
21.7	BLACK	15.7	130	BLACK	29
22	BRIGHT	2	135	BLACK	2 (OCT)
22.22	BRIGHT	1.3	140	BLACK	7.6
24	BLACK	10 (SEPT)	140	PEELED	0.7
24	BRIGHT	1.4	145	BLACK	5.4
25	BLACK	10 (NOV)	150	BLACK	8.7
25.37	BRIGHT	0.3	160	BLACK	2 (OCT)
25.4	BRIGHT	1	170	BLACK	3.3
26	BLACK	6.2	170	PEELED	2.8
27	BLACK	8.3	175	PEELED	1.1
27	BRIGHT	0.8	180	BLACK	7
29.97	BRIGHT	0.3	180	PEELED	1.2
30	BLACK	16	184.15	BLACK	16
30	BRIGHT	2	190	BLACK	1.3
32	BLACK	18	200	BLACK	4.3
33	BLACK	20	210	BLACK	3.6
34.92	BRIGHT	1.6	220	BLACK	11
36	BLACK	21.6	230	BLACK	6
36	BRIGHT	2	240	BLACK	9
39	BLACK	18	250	BLACK	7.3
40	BLACK	33	260	BLACK	5.7
40	BRIGHT	3.2	300	BLACK	3.4
41.27	BRIGHT	0.5	400	BLACK	5.5



## 1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	3.2	34.92	BRIGHT	0.7
6.35	BRIGHT	4	35	BLACK	4.5
7.94	BRIGHT	1.2	35	BRIGHT	0.3
8	BRIGHT	1	36	BLACK	5.8
9	COIL	8.9	39	BLACK	5
9.52	BRIGHT	0.7	39	BRIGHT	0.8
10	BRIGHT	1.6	40	BLACK	14
11.2	COIL	8.9	40	PG	1.1
12	BLACK	0.5	42	BLACK	8
12	BRIGHT	1.2	44.45	BRIGHT	3.2
12.7	BRIGHT	1.8	46	BLACK	20.6
15.87	BRIGHT	0.5	48	BLACK	12 (SEPT)
16	BRIGHT	1.6	50	BRIGHT	0.3
16.97	BRIGHT	0.4	52	BLACK	28.7
17	COIL	1.5	56	BLACK	10 (SEPT)
18	COIL	2.9	56	BRIGHT	1
19.05	BRIGHT	1.5	57.15	BRIGHT	0.2
19.7	COIL	2.8	60	BLACK	13 (SEPT)
20	BLACK	6	60	BRIGHT	1.3
20	BRIGHT	1.3	63.5	BRIGHT	1.2
21.7	BLACK	13.2	65	BLACK	8.4
22	BRIGHT	0.2	68.5	BLACK	8.4
22.22	BRIGHT	1.6	75	BLACK	12
24	BLACK	10.9	80	BLACK	29
24	BRIGHT	0.7	82.55	PEELED	0.5
25.4	BRIGHT	2.7	85	BLACK	3.1
26	BLACK	11.5	88.9	BRIGHT	1.1
27	BLACK	27.8	90	BLACK	3.3
27	BRIGHT	1.5	95	BLACK	9.7
28.57	BRIGHT	0.9	105	BLACK	12
29.97	BRIGHT	0.5	115	BLACK	1
30	BLACK	2.6	120	BLACK	0.6
30	BRIGHT	1.3	120	PEELED	0.5
31.75	BRIGHT	4.1	125	BLACK	1.7
32	BLACK	14.7	127	PEELED	0.5
32	BRIGHT	2.3	130	BLACK	1.8
33	BLACK	14.8	135	BLACK	3.3
33	BRIGHT	0.5	160	BLACK	1.7

### 8620 ROUND BAR

<b>DIA</b>	<b>SURFACE CONDITION</b>	<b>TONNES</b>	<b>DIA</b>	<b>SURFACE CONDITION</b>	<b>TONNES</b>
16	PEELED k12	0.7	80	BLACK	1.7
17	BLACK	2	85	BLACK	7.8 (OCT)
23	BLACK	3.3	90	BLACK	6.6
24	BLACK	0.4	95	BLACK	6
26	BLACK	0.25	100	BLACK	2.2
27	BLACK	9	105	BLACK	3.8 (OCT)
30	PEELED k12	0.25	110	BLACK	5.8 (OCT)
33	BLACK	5.3	120	BLACK	1
36	BLACK	8.6	130	BLACK	6.5
39	BLACK	7.2	140	BLACK	8 (JAN)
40	BLACK	4.8	150	BLACK	5.9
42	BLACK	5.2	160	BLACK	4.4
46.5	BLACK	3.9	170	BLACK	5.3
50	BLACK	9	180	BLACK	3.6 (JAN)
60	BLACK	2	190	BLACK	5.4
65	BLACK	1.8	220	BLACK	5.6
70	BLACK	12.5	230	BLACK	4 (OCT)
75	BLACK	4.3			

**EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR**

DIA	SURFACE CONDITION		DIA	SURFACE CONDITION	TONNES
<b>EN36A</b>			<b>EN26</b>		
14	ANN PLD	0.8	27	AR	4.7
20	ANN PLD	0.2	32	Q&T	3
22	ANN PLD	2.7	32	Q&T PEELED	0.3
24	ANN PLD	2 (JAN)	35	Q&T	5.9
25	ANN PLD	0.6	38	AR	3.5
26	ANN PLD	2.1	40	AR	3
33	ANN PLD	2.2	42	AR	8 (DEC)
35	ANN PLD	2	45	AR	6 (DEC)
36	ANN PLD	2.5	47	Q&T	6
40	ANN PLD	1.5	53	AR	9.5
42	ANN PLD	4 (NOV)	55.5	PP h10	1.5
45	ANN PLD	2.9	60	AR	6
55	ANN PLD	2	65	AR	7 (DEC)
55.5	ANN PLD	2.9	70	Q&T	7.5
60	ANN PLD	1	75	AR	5.6
65	ANN PLD	3.2	75	Q&T	0.2
66	ANN PLD	3.8	76.5	Q&T PEELED	0.6
70	ANN PLD	3.4	80	AR	7.1
75	ANN PLD	3 (NOV)	80	Q&T	1
80	ANN PLD	4 (NOV)	85	AR	5.2
85	ANN PLD	2 (NOV)	88.9	Q&T PEELED	0.5
90	ANN PLD	6 (NOV)	90	Q&T	6
92	ANN PLD	0.3	95	Q&T	11
100	ANN PLD	1.3	95	Q&T PEELED	0.6
105	ANN PLD	0.3	105	AR	3.9
106	ANN PLD	2	110	AR	7.5 (OCT)
110	ANN PLD	2.4	110	Q&T	2.9
116	ANN PLD	0.4	120	AR	10.9
120	ANN PLD	3.5 (NOV)	125	AR	6 (DEC)
140	ANN PLD	4 (JAN)	135	AR	4.8
152	ANN PLD	2 (NOV)	140	Q&T	5.1
170	ANN PLD	3.4	150	Q&T	7.3
175	ANN PLD	1	160	AR	8.9
180	ANN PLD	3 (JAN)	170	AR	7.5
210	ANN PLD	2.7 (NOV)	170	Q&T	1.9
220	ANN PLD	6.3 (NOV)	180	AR	7 (DEC)
272	ANN PLD	3 (NOV)	190	AR	3.3
			210	AR	2.2
			220	AR	6.7 (OCT)
			230	AF MACHINED	10 (JAN)
			230	Q&T	1.6
			260	AF MACHINED	10 (JAN)
			300	AF MACHINED	10 (JAN)
			310	Q&T	5

**EN39B**

28	ANN PLD	0.3
30	ANN BLACK	0.6

**EN25**

47	ANN	0.6
65	AR	0.5

**GRADE 300 PLUS**

21.7	BLACK	14.7
22	BLACK	0.7
30	BLACK	5.5
42	BLACK	0.3
75	BLACK	0.2
90	BLACK	2

**XK1320**

18	BLACK	0.4
20	BLACK	12 (NOV)
22	BLACK	2 (NOV)
24	BLACK	1.8 (NOV)
42	BLACK	8 (NOV)
90	BLACK	2.1

**17CrNiMo6**

34.5	ANN PLD k12	0.8
39	ANN PLD k12	5.5
51.5	ANN PLD k12	4
55.5	ANN PLD k12	5
65	ANN PLD k12	0.3
70	ANN PLD k12	1.1
87	ANN PLD k12	5.3
102	ANN PLD k12	6
105	ANN BLK	2.6
106	ANN PLD k12	4.6
130	ANN PLD k12	1.8 (DEC)
136	ANN PLD k12	3 (DEC)
160	ANN BLK	3.2
175	ANN PLD k12	1.3
185	ANN PLD k12	6.9
220	ANN PLD k12	2 (DEC)

**1141**

20	BLACK	5
----	-------	---

**XK9261S**

22	BLACK	4.2
----	-------	-----

## 1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	1.6	35	BLACK	1.8
6.35	BRIGHT	0.7	35	BRIGHT	2.6
7	BRIGHT	0.5 (SEPT)	36	BLACK	17.5
7.14	BRIGHT	0.2	36	BRIGHT	0.7
8	BRIGHT	1.3	39	BLACK	8
9	COIL	6	40	BLACK	3.8
9	BRIGHT	4	40	BRIGHT	6.3
9.52	BRIGHT	0.8	41.27	BRIGHT	0.4
10	COIL	4.4	42	BLACK	11.9
11.11	BRIGHT	1.3	42	BRIGHT	0.7
11.2	COIL	16 (SEPT)	44.45	BRIGHT	3.5
12	BRIGHT	21	45	BLACK	8.9
12.2	BRIGHT	2.2	45	BRIGHT	1.8
12.7	BRIGHT	2	46	BLACK	7.5
14	COIL	12 (SEPT)	48	BLACK	20
14	BRIGHT	2.7	50	BLACK	13 (SEPT)
14.29	BRIGHT	1	50	BRIGHT	2.7
16	COIL	2.8	52	BLACK	48
16	BRIGHT	3.5	56	BLACK	7 (SEPT)
16.2	BRIGHT	0.3	56	BRIGHT	0.2
17	COIL	10	60	BLACK	12.8
17	BRIGHT	0.7	60	BRIGHT	0.8
17.46	BRIGHT	1	60.32	BRIGHT	1.8
18	BRIGHT	1.7	63.5	BRIGHT	2.8
19	BRIGHT	0.6	64	BLACK	21.4
19.05	BRIGHT	3.8	65	BLACK	5.5
20	COIL	1.3	65	BRIGHT	7.9
20	BRIGHT	2.2	66.67	BRIGHT	1
20.64	BRIGHT	0.8	68.5	BLACK	15.9
21	COIL	20 (DEC)	70	BLACK	1.9
21.7	COIL	16.9	75	BLACK	1.2
22	BRIGHT	0.4	75	PEELED	3.1
22.22	BRIGHT	2.3	76.2	PEELED	2.3
23.81	BRIGHT	1.9	80	BLACK	11
24	BLACK	13	85	BLACK	17.7
24	BRIGHT	2	88.9	BRIGHT	1.4
25	BRIGHT	2.4	95	BLACK	14.2
26	BLACK	14	95	PEELED	1.9
26	BRIGHT	1	95.25	PEELED	1.9
28	BRIGHT	0.5	100	BLACK	5.3
28.58	BRIGHT	4.1	105	BLACK	8.8 (OCT)
30	BLACK	10.7	110	PEELED	0.4
30	BRIGHT	2.5	115	BLACK	0.9
31.75	BRIGHT	1.6	135	BLACK	3.4
32	BLACK	12	139.7	PEELED	0.9
32	BRIGHT	0.8	145	BLACK	2.5
33	BLACK	8.4	160	BLACK	7.8 (OCT)
33	BRIGHT	0.9			
34.92	BRIGHT	0.8			

## 12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
7.94	BRIGHT	0.25	27	COIL	7 (DEC)
8	BRIGHT	4.6	28.5	COIL	1
9	BRIGHT	5.7	29	COIL	16
9.52	BRIGHT	1	30	BLACK	15 (SEPT)
10	BRIGHT	1.5	32	BLACK	12.6 (SEPT)
11.11	BRIGHT	0.9	33	BLACK	15
11.2	COIL	5.1	33.34	BRIGHT	0.75
12.7	BRIGHT	2	34.92	BRIGHT	3.3
13	COIL	3	35	BRIGHT	0.6
14.29	BRIGHT	1.2	36	BLACK	14
15.87	BRIGHT	5.6	40	BLACK	3
16	COIL	10	43	BLACK	8.5
16	BRIGHT	1.2	46.5	BLACK	6.3
17	COIL	20.3	52	BLACK	0.9
17	BRIGHT	3.1	57.15	BRIGHT	1
18	BRIGHT	2.6	60	BLACK	4
19	COIL	20	60	BRIGHT	3.6
19.05	BRIGHT	3.6	60.32	BRIGHT	2
20	COIL	10 (OCT)	63.5	BLACK	5 (FEB)
20	BRIGHT	1.2	63.5	BRIGHT	3
20.64	BRIGHT	1	65	BLACK	11.7
21	COIL	9.7	73	BLACK	9 (DEC)
23	COIL	10 (FEB)	73.02	PEELED	0.3
24	BLACK	18.5	80	BLACK	6 (DEC)
25	BLACK	3.9	82.55	PEELED	0.5
25	BRIGHT	0.5	85	BLACK	9.7
25.4	BRIGHT	1.6			

## 4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
<b>4140 H&amp;T</b>			<b>4140 INDUCTION HARDENED</b>		
20	Q&T	0.5	34.92	IH	0.3
22	Q&T	0.5	38.1	IH	0.2
22.22	Q&T	0.5	40	IH	0.4
28.58	Q&T	0.5	44.45	IH CB3	1
30	Q&T	1.5	45	IH	0.5
31.75	Q&T	3	50	IH	0.9
34.92	Q&T	0.7	50.8	IH	2.3
35	Q&T	0.3	56	IH	1.1
36	Q&T	1.1	57.15	IH	0.2
40	Q&T	0.7	60	IH	0.7
44.45	Q&T	1.7	65	IH	0.3
44.45	Q&T CR3	0.4	70	IH	0.3
50	Q&T	1	76.2	IH	0.2
57.15	Q&T CR3	3.2	76.2	IH CB3	1.2
63.5	Q&T CR3	2	88.9	IH	1.7
65	Q&T	2	100	IH	0.35
75	Q&T	0.5			
76.2	Q&T CR3	0.2			
80	Q&T	2			
85	Q&T	0.2			
88.9	Q&T	4.2			
114.3	Q&T	3.2			
127	Q&T	0.6			

## 1045

15.87	AR	3.3
16	AR	2
19.05	AR	0.5
20	AR	1.6
22	AR	2.4
22.22	AR	4.7
25	AR	2.6
25.4	AR	0.3
28	AR	0.5
28.57	AR	3.9
30	AR	1.8
31.75	AR	1.8
32	AR	0.5
35	AR	2.5
36	AR	0.3
38.1	AR	2.2
40	AR	1.2
44.45	AR	1.7
45	AR	0.3
47.62	AR	1.5
48.7	AR	0.6
50	AR	2.5
53.98	AR	0.3
55	AR	0.1
56	AR	0.2
60	AR	3.9
65	AR	0.6
70	AR	0.6
75	AR	2.2
85	AR	0.5
88.9	AR	1
90	AR	1.2
95.25	AR	0.7
100	AR	0.2
101.6	AR	3.4
105	AR	0.4
120	AR	0.4
152.4	AR	2.4

## 1045 INDUCTION HARDENED

22	IH	0.8
22.22	IH	0.3
38.1	IH	0.3
44.45	IH	1
45	IH	0.7
50	IH	1.4
50.8	IH	1.6
53.98	IH	1.3
60	IH	0.4
63.5	IH	0.15
75	IH	0.6
76.2	IH	0.6
80	IH	0.8
82.55	IH	0.2
85	IH	0.5
90	IH	2
95.25	IH	1
101.6	IH	0.3
120	IH	1.1
127	IH	0.6
139.7	IH	0.6



**4140, 1045, 1214, 12L14 HEXAGON BAR**

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
<b>4140</b>			<b>1045</b>		
19.05 HEX	Q&T DRAWN	2	19.05 HEX	DRAWN	0.5
22.22 HEX	Q&T DRAWN	0.2	28.57 HEX	DRAWN	0.3
25 HEX	AR BLACK	0.3	30 HEX	DRAWN	0.2
25.4 HEX	Q&T DRAWN	0.25	31.75HEX	DRAWN	0.5
27 HEX	Q&T DRAWN	0.4	36 HEX	DRAWN	3.5
28.58 HEX	Q&T DRAWN	0.5	38.1 HEX	DRAWN	0.1
34.92 HEX	Q&T DRAWN	0.7	39.5 HEX	BLACK	8.6
36 HEX	Q&T DRAWN	1.3	44.45 HEX	DRAWN	0.5
37.5 HEX	AR BLACK	8.7	47.5 HEX	BLACK	8
37.5 HEX	Q&T BLACK	3.8	50.8 HEX	DRAWN	0.5
38.1 HEX	Q&T DRAWN	1.5	52.5HEX	BLACK	7.2
39.5 HEX	Q&T BLACK	2.5			
44.5 HEX	Q&T BLACK	0.8			
47.5 HEX	AR BLACK	6.7			
52.5 HEX	AR BLACK	8.7 (SEPT)			
57.5 HEX	AR BLACK	8.3			
65 HEX	Q&T BLACK	2.9			

**M1020**

11 HEX	DRAWN	0.3
31.75HEX	DRAWN	0.5

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
<b>1214</b>			<b>12L14</b>		
12.7 HEX	DRAWN	2.1	7.94 HEX	DRAWN	0.2
15.87 HEX	DRAWN	3.7	11.11 HEX	DRAWN	0.9
17.46 HEX	DRAWN	4.1	12 HEX	DRAWN	2.6
19.05 HEX	DRAWN	5.2	14 HEX	DRAWN	1
20.64 HEX	DRAWN	0.7	17 HEX	DRAWN	2.2
22.22 HEX	DRAWN	5.4	18.03 HEX	DRAWN	1.2
23.81 HEX	DRAWN	0.3	19 HEX	DRAWN	0.3
24 HEX	DRAWN	0.3	22 HEX	DRAWN	1.9
25.4 HEX	DRAWN	1.5	24 HEX	DRAWN	2.6
28.57 HEX	DRAWN	4	26.99 HEX	DRAWN	1.3
30 HEX	DRAWN	2	28.5 HEX	BLACK	3.6
34.92 HEX	DRAWN	4.7	30 HEX	BLACK	8
36 HEX	DRAWN	1.8	30 HEX	DRAWN	0.6
37.5 HEX	BLACK	10 (OCT)	33 HEX	BLACK	11 (FEB)
38.1 HEX	DRAWN	0.6	33.02 HEX	DRAWN	0.6
44.5 HEX	BLACK	8.4	37.5 HEX	BLACK	5 (DEC)
47.5 HEX	BLACK	5 (FEB)	39.5 HEX	BLACK	8.2
52.07 HEX	DRAWN	0.3	41.27 HEX	DRAWN	1
52.5 HEX	BLACK	5.3	44.5 HEX	BLACK	3.5
55 HEX	DRAWN	2	47.5 HEX	BLACK	4.5
57 HEX	BLACK	4.5	47.62 HEX	DRAWN	0.8
70 HEX	DRAWN	3	49 HEX	BLACK	5.3
75 HEX	DRAWN	2.1	50 HEX	DRAWN	1
76.2 HEX	DRAWN	3.8	50.8 HEX	DRAWN	1.5
			53.5 HEX	BLACK	10 (SEPT)
			57 HEX	BLACK	10 (FEB)
			58.5 HEX	BLACK	5 (OCT)
			60 HEX	DRAWN	0.6
			61.21 HEX	DRAWN	1
			63 HEX	BLACK	14
			63.5 HEX	DRAWN	1.7
			65 HEX	DRAWN	9

**1214, 1045, 12L14, 4140, 1020 SQUARE BAR**

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
<b>1214</b>			<b>1045</b>		
9.52 SQUARE	DRAWN	0.5	19.05 SQUARE	DRAWN	1.2
12.7 SQUARE	DRAWN	0.25 (DEC)	25 SQUARE	DRAWN	0.5 (SEPT)
15.88 SQUARE	DRAWN	1.1	30 SQUARE	BLACK	8.7 (FEB)
16 SQUARE	DRAWN	0.5	32 SQUARE	DRAWN	0.4
20 SQUARE	BLACK	5.2	38.1 SQUARE	DRAWN	1.7
20 SQUARE	DRAWN	0.5	40 SQUARE	BLACK	7
22.22 SQUARE	DRAWN	2.7	45 SQUARE	BLACK	18.2
25.4 SQUARE	DRAWN	1	50 SQUARE	BLACK	20 (SEPT)
31.75 SQUARE	DRAWN	1 (DEC)	52 SQUARE	BLACK	11
38.1 SQUARE	DRAWN	4	90 SQUARE	BLACK	11 (DEC)
40 SQUARE	BLACK	3.5	100 SQUARE	BLACK	15.3
40 SQUARE	DRAWN	0.25 (DEC)	130 SQUARE	BLACK	2.3
44.45 SQUARE	DRAWN	1.8	160 SQUARE	BLACK	7
50 SQUARE	DRAWN	1			
50.8 SQUARE	DRAWN	0.25			
52 SQUARE	BLACK	5			
57.15 SQUARE	DRAWN	1			
76.2 SQUARE	DRAWN	1 (NOV)			
88.9 SQUARE	DRAWN	0.2			
100 SQUARE	DRAWN	1.2			
101.6 SQUARE	DRAWN	0.8			
<b>1020</b>			<b>4140</b>		
15.88 SQUARE	DRAWN	1 (DEC)	28.58 SQUARE	Q&T DRAWN	1
19.05 SQUARE	DRAWN	0.5 (DEC)	30 SQUARE	Q&T	2
20 SQUARE	DRAWN	0.5 (SEPT)	32 SQUARE	AR	4
25.4 SQUARE	DRAWN	0.25 (DEC)	32 SQUARE	Q&T	3.4
31.75 SQUARE	DRAWN	1.75 (NOV)	38.1 SQUARE	Q&T DRAWN	0.5
40 SQUARE	BLACK	12 (SEPT)	40 SQUARE	AR	5.6
44.45 SQUARE	DRAWN	1	40 SQUARE	Q&T	1
45 SQUARE	DRAWN	0.5 (DEC)	50 SQUARE	AR	5.5
50.8 SQUARE	DRAWN	0.8	50 SQUARE	Q&T	2
52 SQUARE	BLACK	17.5 (JAN)	75 SQUARE	AR	5
63.5 SQUARE	DRAWN	1 (NOV)	75 SQUARE	Q&T	3.2
65 SQUARE	DRAWN	0.2	100 SQUARE	Q&T	0.7
75 SQUARE	DRAWN	1.3	110 SQUARE	AR	1.6
76.2 SQUARE	DRAWN	0.7 (NOV)			
90 SQUARE	DRAWN	0.6 (NOV)			
100 SQUARE	DRAWN	0.5 (NOV)			
114.3 SQUARE	DRAWN	1			
127 SQUARE	DRAWN	2			
150 SQUARE	DRAWN	2.6			
			<b>12L14</b>		
			44.45 SQUARE	AR	1

**1020, 1004B, 1016, U1010 FLAT BAR**

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
<b>M1020</b>			<b>M1020</b>		
20x5	DRAWN	0.5	50x12	DRAWN	0.25 (NOV)
20x7	DRAWN	0.3	50x15	DRAWN	5.1
20x10	DRAWN	0.25 (NOV)	50x20	DRAWN	1.2 (NOV)
25x5	DRAWN	0.2	50x25	DRAWN	0.6 (NOV)
25x10	DRAWN	0.5	50x40	DRAWN	0.5
25x12	DRAWN	0.9	50.8x38.1	DRAWN	0.25 (NOV)
25x15	DRAWN	0.5	75x10	DRAWN	0.5 (NOV)
25x16	DRAWN	0.25	75x12	DRAWN	0.5
25x20	DRAWN	0.5	75x40	DRAWN	0.2
25.4x6.35	DRAWN	0.2	76.2x12.7	DRAWN	0.5
25.4x12.7	DRAWN	0.25 (NOV)	76.2x31.75	DRAWN	0.3
30x10	DRAWN	1	76.2x38.1	DRAWN	0.2
32x10	DRAWN	1	88.9x50.8	DRAWN	1 (NOV)
32x25	DRAWN	0.1	100x10	DRAWN	0.7
38.1x12.7	DRAWN	0.25	100x12	DRAWN	0.7
40x7	DRAWN	0.7	100x20	DRAWN	0.5 (NOV)
40x10	DRAWN	4.6	100x25	DRAWN	0.2
40x12	DRAWN	0.25	101.6x38.1	DRAWN	0.4
40x15	DRAWN	0.25	101.6x50.8	DRAWN	0.5 (NOV)
40x20	DRAWN	0.5 (SEPT)	101.6x76.2	DRAWN	1.5 (NOV)
40x250D	DRAWN	0.5 (NOV)	150x12	DRAWN	0.7
44.45x31.75	DRAWN	0.2	150x20	DRAWN	0.5 (NOV)
50x6	DRAWN	0.4	150x25	DRAWN	0.7
50x7	DRAWN	0.2	152.4x25.4	DRAWN	0.4
50x10	DRAWN	0.75 (NOV)			

**1004B**

16x5	DRAWN	2
32x5	DRAWN	3.2
40x5	DRAWN	4.5

**U1010**

25x7	DRAWN	2.2
------	-------	-----

**1214 (230M07)**

50.8x38.1	DRAWN	0.25
-----------	-------	------

**1045**

32x10	BLACK	3.6
-------	-------	-----

## 4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
<b>4140</b>			<b>4140</b>		
50x25	AR	2.5 (SEPT)	112.63	Q&T	0.5
50x32	AR	2 (JAN)	112x80	Q&T	1.6
56x36	Q&T	0.2	118x63	Q&T	7
63x32	Q&T	2.2	118x80	AR	5 (JAN)
63x40	AR	3.7 (DEC)	118x90	Q&T	1.1
63x45	Q&T	2.6	119.6x56	Q&T	1.4
66x44	AR	5 (JAN)	125x71	Q&T	1.4
71x36	AR	3.2 (SEPT)	125x80	AR	1.6
71x45	Q&T	0.7	125x100	Q&T	0.7
71x50	Q&T	2.5	132x71	AR	2.6
75x40	AR	4.7 (JAN)	132x80	AR	1.7
75x45	Q&T	3.5	132x80	ANN	0.7
80x40	Q&T	3.4	132x90	Q&T	1.2
80x50	AR	2 (DEC)	135x85	Q&T	3.7
85x45	Q&T	2.1	140x60	Q&T	1.3
85x67	AR	2.6 (SEPT)	140x80	AR	2.2
90x40	AR	4 (JAN)	140x90	AR	1
90x45	Q&T	3	140x100	Q&T	1.4
90x50	AR	3.6	150x80	Q&T	1.7
90x63	AR	2 (NOV)	150x106	AR	8
95x45	Q&T	2.2	150x106	Q&T	0.5
95x50	AR	1.7	150x114	Q&T	1.6
95x60	AR	3.7	160x90	AR	1.8 (JAN)
95x63	Q&T	2	160x112	Q&T	1.7
100x56	Q&T	3.4	170x100	AR	1
100x71	AR	5 (JAN)	180x125	AR	1.1
106x56	AR	3.2	190x132	AR	3.3
106x63	Q&T	5	200x112	Q&T	4.4
106x71	AR	0.4	200x140	AR	2 (JAN)
			225x140	Q&T	12

## MECAPLUS 470

30x20	AR	1
-------	----	---

**ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE**

<b>DIA</b>	<b>METERS</b>	<b>DIA</b>	<b>METERS</b>
47.62x38.1	55	101.6x88.9	19 (NOV)
50.8x38.1	394	114.3x101.6	64 (NOV)
57.15x44.45	18 (NOV)	120x100	14
60x50	66	120.65x101.6	98 (NOV)
60.32x50.8	23	127x114.3	36 (NOV)
69.85x57.15	17 (NOV)	139.7x127	12
70x55	19	152.4x139.7	25
82x70	65	165.1x152.4	16
82.55x63.5	6	168.2x152.4	35
88.9x76.2	60 (JAN)	170x140	63
95x80	49	180x150	22
95.2x76.2	36	190x160	32
95.25x82.55	31	203.2x177.8	8 (DEC)
100x80	6	210x180	20