



P.O. Box 552
Warners Bay NSW 2282

5 Laverick Avenue
Tomago NSW 2322

STOCKLIST MARCH 2021

PAGE 2-6	4140				
PAGE 7-8	4340				
PAGE 9-10	1045				
PAGE 11-12	M1020				
PAGE 13	1030				
PAGE 14	8620				
PAGE 15-16	VARIOUS	EN36A 300 PLUS 17CrNiMo6	EN26 XK1320	EN39B 1141	EN25 XK9261S
PAGE 17	1214				
PAGE 18	12L14				
PAGE 19-20	CHROME	4140	1045		
PAGE 21-22	HEXAGONS	4140 12L14	1045	1214	
PAGE 23	SQUARE	1214 4140	1045 1020	12L14	
PAGE 24	FLAT	M1020 U1010	1004B	1016	
PAGE 25	HOLLOW	4140	CARBON		
PAGE 26	ST52 HYDRAULIC TUBE				

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: sales@milltechmartinbright.com

www.milltechmartinbright.com

2021

4140					
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT		QUENCH & TEMPERED PRECISION GROUND (H8)
			H10	K12	H8
8			0.7		
10					
12					
12.7					
13					
14		2.6			
14.28			0.9		
14.55					
16					
17.5					
18					
18.2					
19					
19.05					
20					
20.92					
21					
21.7					
21.9					
22		3.1			
22.22					
23		7.7			
24					
25					
25.4					
26					
27					
27.6					
28		6.3			
28.58					
30		8.3			
31.75					
32	2.0	1.3			
33					
34.92					

4140					
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT		QUENCH & TEMPERED PRECISION GROUND (H8)
			H10	K12	H8
35		4.9			
36					
37.5					
38		2.5			
38.1					
39	0.2	57.5			
40		9.8			
41.27					
42					
44.45					
45		2.6			
45.3					
46		3.6		0.6	
47.625					
48	0.9	19.8			
50	1.1	6.9			
50.6					
50.8					
51.75					
52		1.4			
53					
53.975					
54		5.2			
55					
55.5				0.6	
56		25.5			
57.15					
60	2.1	25.1			
63					
63.5					
64		59.7			

4140					
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT		QUENCH & TEMPERED PRECISION GROUND (H8)
			H10	K12	H8
65		13.0			
68.5		29.6			
69.85			1.3		
70					
72					
73.5					
75					
76.2				0.4	
80					
82					
82.55				0.3	
85					
87					
88.9					
90		14.2			
92					
95					
100					
101.6					
105		7.7			
106					
110					
114.3					
115					
120					
125					
127					0.4
130					
135	1.9				
136					
140					
145					
146				1.6	
150					
160					
162					
165					

4140					
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT		QUENCH & TEMPERED PRECISION GROUND (H8)
170					
185					
190					
200					
210					
220		17.9			
230					
240		0.1			
250					
260					
270		2.8			
280		8.8			
290		6.3			

4140					
DIA	AS FORGED (MACHINED)	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT		QUENCH & TEMPERED PRECISION GROUND (H8)
			H10	K12	H8
300		3.4			
310				3.1	
312					
315					
320				3.3	
330					
340				4.2	
350				3.5	
360				11.8	
370					
380					
385					
390					
395					
400					
405					
410	12.1				
420					
425					
440					
445					
450					
460					
465					
475					
480					
500					
515					
520					
530					
540					
550					
560					
570					
590					
610					
650					

4340					
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT (h10)	QUENCH & TEMPERED BRIGHT (PEELED K12)	QUENCH & TEMPERED PRECISION GROUND (h8)
19.05					
20		4.8			
22					
25		6.2			0.3
25.4					0.5
28		1.2			
30		7.9			
35		7.6			0.3
38		5.3			
38.1					
40				0.7	0.7
42		7.1			
45					0.1
48		2.9			
50					
50.8					0.8
53		0.2			
55		7.4			0.8
60					
63.5					
65					
68		1.7			
70		2.1			
75					0.2
80					0.4
85					
90		3.7			
95		10.4			
100					
105					
110		2.5			
112					
115	7.0				
120	0.3			0.5	
125		4.1		0.8	
130					
140				1.5	
142					
145					
150		1.1			
160					
170					
180					
184.15					
190					
200					
210				0.2	
220		2.0			
230					

4340					
DIA	AS ROLLED/AS FORGED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT (h10)	QUENCH & TEMPERED BRIGHT (PEELED K12)	QUENCH & TEMPERED PRECISION GROUND
240					
250		2.4			
260		3.1			
280					
300				6.4	
310					
320		3.7			
330			10.6		
340				3.934 (Machined)	
350					
380	0 (Machined)			5.066 (Machined)	

1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
9.52	BRIGHT	1.1	70	BLACK	32.0
10	BRIGHT	3.7	70	IH PP h10	
11.2	COIL	9.0	75	BLACK	10.0
12	BRIGHT	1.0	76	BLACK	
14	COIL	12.9	76.2	PP h10	
15.87	BRIGHT	1.5	80	BLACK	24.5
16	BLACK	9.2	80	PG	1.0
16	BRIGHT		80	PP h10	
17	COIL	20.6	80.96	PG	
18	BLACK	9.7	85	BLACK	10.1
19.05	BRIGHT		85	PP h10	
19.7	COIL	5.9	88.9	PP h10	
20	BLACK	7.2	90	BLACK	
21.7	BLACK	41.5	90	PP h10	
22	BLACK	10.9	90	IH PP h10	0.3
22	BRIGHT	0.3	95	BLACK	2.0
22.22	BRIGHT		100	BLACK	
24	BLACK	10.8	101.6	PP h10	
24	BRIGHT		105	BLACK	
25.4	BRIGHT		110	BLACK	
26	BLACK		110	PP h10	
28.57	BRIGHT	0.8	114.3	PP h10	
30	BLACK	9.6	115	BLACK	
30	BRIGHT		120	BLACK	
32	BLACK	7.4	120	PP h10	
33	BRIGHT	1.8	125	BLACK	
34	BRIGHT	0.4	130	BLACK	
34.92	BRIGHT		135	BLACK	
35	BLACK	7.5	140	BLACK	
36	BLACK	21.7	145	BLACK	0.0
36.51	BRIGHT	0.6	150	BLACK	
38.1	BRIGHT		150	PP h10	
39	BLACK	14.4	160	BLACK	
40	BLACK	7.7	170	BLACK	
40	PG	0.3	180	BLACK	
41.27	BRIGHT		184.15	BLACK	1.3
42	BLACK	4.0	190	BLACK	
44.45	PP H10		200	BLACK	
45	BLACK		210	BLACK	
45	BRIGHT		220	BLACK	
46.5	BLACK	0.2	230	BLACK	
48	BLACK	0.6	240	BLACK	
50	BLACK	17.2	250	BLACK	
50	BRIGHT		260	BLACK	
50.75	BRIGHT		270	BLACK	
50.8	BRIGHT		290	BLACK	
52	BLACK	48.5	300	BLACK	
53.97	BRIGHT		300	MACHINED	
54	BLACK	25.1	310	BLACK	
55.56	BRIGHT	0.7	310	MACHINED	
56	BLACK	20.5	320	BLACK	
60	BLACK	3.8	320	MACHINED	
63.5	BRIGHT		330	BLACK	
64	BLACK	14.7	330	MACHINED	
65	BLACK		340	BLACK	
68.5	BLACK	38.6	340	MACHINED	

1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
350	BLACK				
350	MACHINED				
360	BLACK				
360	MACHINED	4.4			
370	BLACK				
370	MACHINED				
380	BLACK				
380	MACHINED				
390	BLACK				
390	MACHINED				
400	BLACK				
400	MACHINED				
410	BLACK				
410	MACHINED				

M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT		28.57	BRIGHT	
5	BRIGHT		29.97	BRIGHT	
6	BRIGHT		30	BLACK	30.4
8	CD h10	0.0	30	BRIGHT	
9	COIL	12.1	31.75	BRIGHT	
9	BRIGHT	1.4	32	BLACK	
9.52	BRIGHT		33	BLACK	
10	COIL		34.92	BRIGHT	
10	BRIGHT		36	BLACK	7.7
11.11	BRIGHT		36	BRIGHT	
11.2	COIL	12.0	38.1	BRIGHT	
12	COIL	2.8	39	BLACK	0.3
12	BRIGHT		39	BRIGHT	1.8
12.7	BRIGHT		40	BLACK	15.0
13	COIL	58.1	40	BRIGHT	
13.6	BRIGHT		41.27	BRIGHT	
14	COIL	25.0	42	BLACK	0.0
14	BRIGHT	0.9	42	BRIGHT	3.6
14.29	BRIGHT	0.3	45	BLACK	
14.4	BLACK		45	BRIGHT	
14.55	BRIGHT		46	BLACK	
14.96	BRIGHT		49.97	BRIGHT	0.6
15	COIL	3.0	50	BLACK	2.9
15	BRIGHT	0.8	50	BRIGHT	
15.87	BRIGHT		50.8	BRIGHT	
16	COIL	22.3	52	BLACK	
17	COIL	18.9	56	BLACK	43.3
17	BRIGHT	1.3	56	BRIGHT	1.6
18	BRIGHT	0.6	57.15	BRIGHT	
18.2	BRIGHT		60	BLACK	32.2
19	BRIGHT	0.3	64	BLACK	3.8
19.05	BRIGHT		65	BLACK	32.3
19.96	BRIGHT		68.5	BLACK	33.9
20	COIL	0.8	69.85	PP h10	0.2
20	BRIGHT		70	BLACK	2.6
21	COIL		75	BLACK	24.9
21.7	BLACK	30.0	76.2	PP h10	
21.8	BRIGHT	1.4	80	BLACK	18.7
22	BRIGHT		82.55	PP h10	
24	BLACK	27.9	85	BLACK	5.6
25	BLACK	4.8	85	PP h10	
25.37	BRIGHT		88.9	PP h10	
25.4	BRIGHT		90	BLACK	28.8
26	BLACK	0.2	90	PP h10	
27	BRIGHT	3.9	95	BLACK	23.4

M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
95	PP h10	3.2	203.2	PLD k12	
100	BLACK	19.8	203.2	PP h11	
101.6	PP h10		210	BLACK	0.2
105	BLACK		220	BLACK	
110	BLACK	0.3	228.6	PLD k12	
110	PP h10		230	BLACK	
114.3	PP h11		240	BLACK	2.4
115	BLACK	12.3	250	BLACK	4.7
120	BLACK		250	PLD k12	
125	BLACK		254	PLD k12	
127	PP h10		260	BLACK	
130	BLACK		270	BLACK	
135	BLACK	0.7	280	BLACK	
140	BLACK		300	BLACK	
145	BLACK		350	BLACK	
150	BLACK		400	BLACK	
160	BLACK		440	BLACK	
170	BLACK				
170	PLD k12	2.8			
175	PP h10	1.1			
180	BLACK				
180	PLD k12				
184.15	BLACK				
190	BLACK	6.6			
190	PLD k12				
190	PP h10				
190.5	PLD k12				
190.5	PP h11				
200	BLACK	0.0			
200	PP h11				

1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT		35	BLACK	4.6
6.35	BRIGHT		35	BRIGHT	
7.94	BRIGHT		36	BLACK	1.8
8	BRIGHT		39	BLACK	3.8
9	COIL		39	BRIGHT	
9.52	BRIGHT		40	BLACK	1.2
10	BRIGHT		40	PG	
11.2	COIL	3.0	42	BLACK	
12	BLACK	0.6	44.45	BRIGHT	
12	BRIGHT		46	BLACK	
12.7	BRIGHT		48	BLACK	
14	COIL	10.4	50.8	BRIGHT	
16	BRIGHT		52	BLACK	
16.97	BRIGHT		55	BRIGHT	
17	COIL		56	BLACK	
18	COIL		56	BRIGHT	
19.05	BRIGHT		57.15	BRIGHT	
19.7	COIL	3.0	60	BLACK	3.2
20	BLACK		60	BRIGHT	
20	BRIGHT		63.5	BRIGHT	
21.7	BLACK	0.3	64	BLACK	15.6
22	BRIGHT		65	BLACK	15.9
22.22	BRIGHT		68.5	BLACK	4.8
24	BLACK	8.5	75	BLACK	8.8
24	BRIGHT		75	PP h10	
25	BRIGHT		80	BLACK	21.6
25.4	BRIGHT		82.55	PP h10	
26	BLACK	9.2	85	BLACK	15.6
26	BRIGHT		88.9	BRIGHT	
27	BLACK	3.6	90	BLACK	2.1
27	BRIGHT		95	BLACK	6.9
28.57	BRIGHT		105	BLACK	11.3
29.97	BRIGHT		114.3	PP h10	
30	BLACK	6.8	115	BLACK	7.3
30	BRIGHT		120	BLACK	1.6
31.75	BRIGHT		120	PP h10	0.5
32	BLACK	0.6	125	BLACK	1.7
32	BRIGHT		127	PP h10	
33	BLACK		130	BLACK	
33	BRIGHT		135	BLACK	0.7
34.92	BRIGHT		160	BLACK	7.7

8620 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
16	PEELED k12		75	BLACK	
17	BLACK	0.1	80	BLACK	4.7
23	BLACK		85	BLACK	8.5
24	BLACK		90	BLACK	
26	BLACK	0.3	95	BLACK	
27	BLACK	6.0	100	BLACK	
30	PEELED k12		105	BLACK	2.5
33	BLACK	2.1	110	BLACK	
36	BLACK	4.9	120	BLACK	3.8
39	BLACK	5.3	130	BLACK	0.4
40	BLACK		140	BLACK	
42	BLACK	4.1	150	BLACK	
46.5	BLACK	4.4	160	BLACK	3.0
50	BLACK	0.6	170	BLACK	
56	BLACK		180	BLACK	1.9
60	BLACK	1.1	190	BLACK	3.0
65	BLACK	6.0	220	BLACK	2.0
70	BLACK	0.4	230	BLACK	4.0

EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
EN36A			EN26		
14	ANN PLD	0.5	27	AR	
20	ANN PLD		27	Q&T	7.1
22	ANN PLD	3.8	32	Q&T	2.2
24	ANN PLD	2.8	32	Q&T PEELED	0.3
25	ANN PLD		35	Q&T	3.6
26	ANN PLD		38	AR	
33	ANN PLD	0.6	38	Q&T	6.8
35	ANN PLD		40	AR	
36	ANN PLD	0.3	42	AR	
40	ANN PLD		45	AR	
42	ANN PLD	4.5	47	Q&T	6.0
45	ANN PLD	0.8	53	Q&T	1.3
55	ANN PLD	1.5	55.5	PP h10	
55.5	ANN PLD	2.4	60	Q&T	3.0
60	ANN PLD		65	AR	
65	ANN PLD		70	AR	
66	ANN PLD	0.4	70	Q&T	
70	ANN PLD		75	Q&T	
75	ANN PLD	0.4	76.5	Q&T PEELED	
80	ANN PLD	2.4	80	AR	
85	ANN PLD	1.7	80	Q&T	0.7
90	ANN PLD	3.4	85	AR	
92	ANN PLD	0.3	88.9	Q&T PEELED	0.6
97	ANN PLD	3.4	90	Q&T	3.6
106	ANN PLD	0.5	95	Q&T	2.8
110	ANN PLD	2.4	95	Q&T PEELED	
116	ANN PLD	0.4	105	AR	
120	ANN PLD		105	Q&T	
140	ANN PLD		110	AR	7.7
152	ANN PLD		110	Q&T	0.9
170	ANN PLD	2.6	115	AR	0.9
175	ANN PLD		120	Q&T	6.7
180	ANN PLD		125	AR	
210	ANN PLD	1.4	135	Q&T	
220	ANN PLD	0.8	140	Q&T	0.7
272	ANN PLD	2.0	150	Q&T	3.4
			160	AR	
			170	AR	
			170	Q&T	2.8
			180	AR	
			180	Q&T PEELED	
			190	AR	
			200	AR	
			210	AR	
			220	Q&T	
			230	AF MACHINED	
			260	AF MACHINED	
			300	AF MACHINED	
			310	Q&T	

EN39B

28	ANN PLD	0.3
30	ANN BLACK	0.5

EN25

47	ANN	0.3
65	AR	0.5

GRADE 300 PLUS

48	BLACK	
50	BLACK	15.0
52	BLACK	
56	BLACK	
60	BLACK	-0.4
65	BLACK	3.6
75	BLACK	4.8
80	BLACK	
90		

XK1320

18	BLACK	0.4
42	BLACK	0.3

17CrNiMo6

34.5	ANN PLD k12	0.1
39	ANN PLD k12	
51.5	ANN PLD k12	
55.5	ANN PLD k12	3.5
65	ANN PLD k12	
70	ANN PLD k12	
87	ANN PLD k12	
102	ANN PLD k12	
105	ANN BLK	2.7
106	ANN PLD k12	2.5
130	ANN PLD k12	1.6
136	ANN PLD k12	
160	ANN BLK	1.6
175	ANN PLD k12	
185	ANN PLD k12	5.8
220	ANN PLD k12	

1141

20	BLACK	0.1
----	-------	-----

XK9261S

22	BLACK	2.7
----	-------	-----

1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	0.1	39	BLACK	5.5
6.35	BRIGHT		40	BLACK	17.9
7	BRIGHT	0.5	40	BRIGHT	
7.14	BRIGHT	0.5	41.27	BRIGHT	
8	BRIGHT	5.0	42	BLACK	
9	COIL	10.4	42	BRIGHT	0.4
9	BRIGHT	0.2	44.45	BRIGHT	0.8
9.52	BRIGHT		45	BLACK	28.6
10	COIL	1.5	45	BRIGHT	
10	BRIGHT	5.3	46	BLACK	
11.11	BRIGHT		47.62	BRIGHT	
11.2	COIL	5.6	48	BLACK	
12	BRIGHT	5.0	50	BLACK	14.3
12.2	BRIGHT	2.3	50	BRIGHT	2.3
14	COIL	10.2	50.8	BRIGHT	
14	BRIGHT	0.2	52	BLACK	
14.29	BRIGHT	0.8	55	BRIGHT	2.6
15.87	BRIGHT		56	BLACK	3.6
16	COIL	8.6	56	BRIGHT	0.2
16	BRIGHT		60	BLACK	9.3
16.2	BRIGHT	2.9	60	BRIGHT	
17	COIL	14.4	60.32	BRIGHT	0.8
17	BRIGHT	0.6	64	BLACK	13.5
17.46	BRIGHT	0.3	65	BLACK	34.2
18	BRIGHT	0.7	65	BRIGHT	
19	BRIGHT		66.67	PP h10	0.1
19.05	BRIGHT		68.5	BLACK	5.0
19.7	COIL	5.7	69.85	PP h10	2.0
20	COIL		70	BLACK	
20.64	BRIGHT		70	PP h10	2.2
21	COIL		75	BLACK	16.4
21.7	COIL		75	PP h10	4.4
22	BRIGHT		76.2	PP h10	2.9
22.22	BRIGHT	0.4	80	BLACK	15.7
23.81	BRIGHT		80	PP h10	0.3
24	BLACK	2.1	82.55	PP h10	1.5
24	BRIGHT		85	BLACK	1.2
25	BRIGHT		88.9	PP h10	0.4
26	BLACK		90	PP h10	1.2
28	BRIGHT	0.1	95	BLACK	8.8
28.58	BRIGHT		95	PP h10	2.0
30	BLACK	5.5	95.25	PP h10	2.0
30	BRIGHT		100	BLACK	5.3
31.75	BRIGHT		105	BLACK	
32	BLACK	3.6	110	PP h10	
32	BRIGHT	0.5	115	BLACK	
33	BLACK	0.3	120	PP h10	
33	BRIGHT	2.0	125	PP h10	
34.92	BRIGHT	1.1	135	BLACK	
35	BLACK		139.7	PP h10	
35	BRIGHT	2.4	145	BLACK	2.5
36	BLACK	1.1	160	BLACK	3.6
36	BRIGHT	5.7			

12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
7.94	BRIGHT	0.3	25	BLACK	7.9
8	BRIGHT	3.2	26.99	BRIGHT	
9	BRIGHT	5.7	27	COIL	
9.52	BRIGHT		29	COIL	
10	BRIGHT		30	BLACK	
11.11	BRIGHT	1.6	33	BLACK	0.8
11.2	COIL		33.34	BRIGHT	
12.7	BRIGHT	3.0	34.92	BRIGHT	2.7
13	COIL		35	BRIGHT	0.6
14.29	BRIGHT	4.7	36	BLACK	6.1
15.87	BRIGHT	0.4	40	BLACK	
16	COIL	8.5	43	BLACK	1.4
16	BRIGHT	1.6	46.5	BLACK	7.6
17	COIL		52	BLACK	
17	BRIGHT	1.1	57.15	BRIGHT	6.4
18	BRIGHT	0.9	60	BLACK	
19	COIL	11.4	60	BRIGHT	0.7
19.05	BRIGHT		60.32	BRIGHT	
20	COIL		63.5	BLACK	2.4
20	BRIGHT		63.5	BRIGHT	6.0
20.64	BRIGHT	1.9	65	BLACK	7.9
21	COIL		73	BLACK	3.5
23	COIL		73.02	PEELED	0.4
24	BLACK	2.1	80	BLACK	14.4
			85	BLACK	

4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140 H&T			4140 INDUCTION HARDENED		
20	Q&T		34.92	IH	
22	Q&T		38.1	IH	1.3
22.22	Q&T		40	IH	0.5
25	Q&T	0.5	44.45	IH CB3	
28.58	Q&T	1.2	45	IH	1.6
30	Q&T	1.2	50	IH	0.0
31.75	Q&T	0.4	50.8	IH	
35	Q&T		56	IH	
36	Q&T		57.15	IH	
40	Q&T		60	IH	0.8
44.45	Q&T	0.8	65	IH	
44.45	Q&T CR3		70	IH	1.1
45	Q&T		76.2	IH	
55	Q&T		76.2	IH CB3	
56	Q&T		80	IH	0.2
57.15	Q&T		88.9	IH	0.5
57.15	Q&T CR3	2.0	90	IH	
60	Q&T		100	IH	
63.5	Q&T		101.6	IH	
63.5	Q&T CR3		114.3	IH	0.4
65	Q&T	1.5			
69.85	Q&T				
70	Q&T				
75	Q&T				
76.2	Q&T				
80	Q&T				
85	Q&T	2.1			
88.9	Q&T				
90	Q&T	0.2			
95	Q&T	1.0			
95.25	Q&T	1.6			
100	Q&T				
101.6	Q&T				
114.3	Q&T	0.4			
127	Q&T	0.8			

1045			1045 INDUCTION HARDENED		
15.87	AR	3.3	22	IH	0.8
16	AR	2	22.22	IH	0.3
19.05	AR	0.5	25.4	IH	1.3
20	AR	1.6	44.45	IH	1
22	AR	2.4	45	IH	0.7
22.22	AR	3.7	50	IH	0.8
25	AR	2.5	53.98	IH	0.9
25.4	AR	3	60	IH	0.4
28	AR	0.5	63.5	IH	0.15
28.57	AR	3.9	75	IH	0.6
30	AR	1.8	80	IH	0.8
31.75	AR	3.6	82.55	IH	0.2
32	AR	0.4	85	IH	0.5
34.92	AR	0.3	90	IH	2
35	AR	2	95.25	IH	1
36	AR	0.3	101.6	IH	0.3
44.45	AR	7.4	120	IH	1
45	AR	1.5	127	IH	1.1
47.62	AR	1.5	139.7	IH	0.6
48.7	AR	0.6			
50	AR	3.1			
50.8	AR	11.3			
53.98	AR	0.3			
55	AR	2.1			
56	AR	0.2			
57.15	AR	7.5			
60	AR	3.3			
63.5	AR	1.8			
65	AR	0.6			
70	AR	0.5			
75	AR	2.2			
76.2	AR	1.2			
85	AR	0.5			
88.9	AR	0.9			
90	AR	1.2			
95.25	AR	0.7			
100	AR	0.2			
101.6	AR	3.4			
105	AR	0.4			
120	AR	0.5			
127	AR	1.4			
152.4	AR	0.7			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
4140			1045		
19.05 HEX	Q&T DRAWN		19.05 HEX	DRAWN	
22.22 HEX	Q&T DRAWN		28.57 HEX	DRAWN	
25 HEX	AR BLACK	0.3	30 HEX	DRAWN	
25.4 HEX	Q&T DRAWN	1.0	31.75HEX	DRAWN	0.5
27 HEX	Q&T DRAWN	0.4	36 HEX	DRAWN	2.1
31.75 HEX	Q&T DRAWN	1.3	38.1 HEX	DRAWN	0.1
34.92 HEX	Q&T DRAWN	0.7	39.5 HEX	BLACK	6.6
36 HEX	Q&T DRAWN		44.45 HEX	DRAWN	0.6
37.5 HEX	AR BLACK		46 HEX	DRAWN	2.0
37.5 HEX	Q&T BLACK	11.4	47.5 HEX	BLACK	0.5
38.1 HEX	Q&T DRAWN	0.1	50.8 HEX	DRAWN	0.3
39.5 HEX	Q&T BLACK	4.7	52.5HEX	BLACK	7.7
44.5 HEX	Q&T BLACK				
47.5 HEX	AR BLACK				
52.5 HEX	AR BLACK				
55 HEX	Q&T DRAWN	1.5			
57.5 HEX	AR BLACK				
57.5 HEX	Q&T BLACK	4.2			
65 HEX	Q&T BLACK				

M1020		
31.75HEX	DRAWN	0.5

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
1214			12L14		
11.11 HEX	DRAWN	0.5	7.94 HEX	DRAWN	1.9
12.7 HEX	DRAWN	2.2	11.11 HEX	DRAWN	
15.87 HEX	DRAWN	1.8	12 HEX	DRAWN	2.6
17.46 HEX	DRAWN	5.6	12.7 HEX	DRAWN	2.0
19.05 HEX	DRAWN		14 HEX	DRAWN	
20.64 HEX	DRAWN		15.88 HEX	DRAWN	5.0
22.22 HEX	DRAWN	2.5	17 HEX	DRAWN	1.3
23.81 HEX	DRAWN	0.0	18.03 HEX	DRAWN	0.8
24 HEX	DRAWN	0.4	19 HEX	DRAWN	
25 HEX	DRAWN	0.5	22 HEX	DRAWN	
25.4 HEX	DRAWN	0.4	24 HEX	DRAWN	1.6
28.57 HEX	DRAWN	1.1	28.5 HEX	BLACK	
30 HEX	DRAWN		30 HEX	BLACK	11.7
34.92 HEX	DRAWN		30 HEX	DRAWN	0.5
36 HEX	DRAWN		33 HEX	BLACK	19.3
37.5 HEX	BLACK		33.02 HEX	DRAWN	0.6
38.1 HEX	DRAWN		37.5 HEX	BLACK	0.1
39.5 HEX	BLACK		39.5 HEX	BLACK	
44.5 HEX	BLACK		41.27 HEX	DRAWN	1.0
47.5 HEX	BLACK		44.5 HEX	BLACK	
50 HEX	DRAWN		46 HEX	DRAWN	0.9
50.8 HEX	DRAWN		47.5 HEX	BLACK	6.0
52.07 HEX	DRAWN		47.62 HEX	DRAWN	0.3
52.5 HEX	BLACK		49 HEX	BLACK	
55 HEX	DRAWN		50 HEX	DRAWN	
57 HEX	BLACK		53.5 HEX	BLACK	
65 HEX	BLACK		57 HEX	BLACK	9.8
70 HEX	DRAWN		58.5 HEX	BLACK	6.4
75 HEX	DRAWN		60 HEX	DRAWN	
76.2 HEX	DRAWN	8.6	63 HEX	BLACK	6.3
			63.5 HEX	DRAWN	
			65 HEX	DRAWN	8.7

1214, 1045, 12L14, 4140, 1020 SQUARE BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1214			1045		
9.52 SQUARE	DRAWN	0.3	19.05 SQUARE	DRAWN	3.3
12.7 SQUARE	DRAWN		25 SQUARE	DRAWN	
15.88 SQUARE	DRAWN		30 SQUARE	BLACK	3.3
16 SQUARE	DRAWN		32 SQUARE	DRAWN	
20 SQUARE	BLACK		38.1 SQUARE	DRAWN	
20 SQUARE	DRAWN		38.1RC SQUARE	DRAWN	
22.22 SQUARE	DRAWN		40 SQUARE	BLACK	13.6
25.4 SQUARE	DRAWN		45 SQUARE	BLACK	4.9
28.57 SQUARE	DRAWN		50 SQUARE	BLACK	
31.75 SQUARE	DRAWN		52 SQUARE	BLACK	1.1
34.92 SQUARE	DRAWN		63 SQUARE	BLACK	
38.1 SQUARE	DRAWN	3.0	75 SQUARE	BLACK	11.8
40 SQUARE	BLACK	0.0	80 SQUARE	BLACK	
40 SQUARE	DRAWN	0.7	90 SQUARE	BLACK	
44.45 SQUARE	DRAWN		100 SQUARE	BLACK	
50 SQUARE	DRAWN	1.5	130 SQUARE	BLACK	
50.8 SQUARE	DRAWN	1.2	160 SQUARE	BLACK	1.1
52 SQUARE	BLACK	6.0			
57.15 SQUARE	DRAWN	1.1			
63.5 SQUARE	DRAWN				
76.2 SQUARE	DRAWN				
88.9 SQUARE	DRAWN	0.2			
100 SQUARE	DRAWN				
101.6 SQUARE	DRAWN				
1020			4140		
12 SQUARE	DRAWN		28.58 SQUARE	Q&T DRAWN	0.2
15.88 SQUARE	DRAWN		30 SQUARE	Q&T	
19.05 SQUARE	DRAWN		32 SQUARE	AR	
20 SQUARE	DRAWN		32 SQUARE	Q&T	
25 SQUARE	DRAWN		38.1 SQUARE	Q&T DRAWN	0.2
25.4 SQUARE	DRAWN		40 SQUARE	AR	5.1
28.58 SQUARE	DRAWN		40 SQUARE	Q&T	4.0
30 SQUARE	DRAWN		50 SQUARE	AR	9.9
38.1 SQUARE	DRAWN		50 SQUARE	Q&T	2.6
40 SQUARE	BLACK		75 SQUARE	AR	
40 SQUARE	DRAWN		75 SQUARE	Q&T	2.0
44.45 SQUARE	DRAWN		100 SQUARE	AR	
45 SQUARE	DRAWN		110 SQUARE	AR	
50.8 SQUARE	DRAWN				
52 SQUARE	BLACK				
63.5 SQUARE	DRAWN				
65 SQUARE	DRAWN				
75 SQUARE	DRAWN				
76.2 SQUARE	DRAWN				
88.9 SQUARE	DRAWN				
90 SQUARE	DRAWN				
100 SQUARE	DRAWN				
101.6 SQUARE	DRAWN				
114.3 SQUARE	DRAWN				
127 SQUARE	DRAWN	2.2			
150 SQUARE	DRAWN	2.2			
			12L14		
			44.45 SQUARE	AR	0.0

1020, 1004B, 1016, U1010 FLAT BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
M1020			M1020		
20x5	DRAWN		50x25	DRAWN	13.3
20x7	DRAWN	0.3	50x40	DRAWN	
20x10	DRAWN	0.2	50.8x38.1	DRAWN	1.0
25x10	DRAWN		75x10	DRAWN	
25x12	DRAWN	1.0	75x12	DRAWN	
25x15	DRAWN	0.3	75x15	DRAWN	
25x16	DRAWN		75x20	DRAWN	
25x20	DRAWN	0.5	75x25	DRAWN	
25.4x6.35	DRAWN	0.2	75x40	DRAWN	
25.4x12.7	DRAWN	0.5	75x50	DRAWN	
30x10	DRAWN	0.8	76.2x12.7	DRAWN	0.5
32x10	DRAWN	0.2	76.2x31.75	DRAWN	0.3
32x25	DRAWN	0.1	76.2x38.1	DRAWN	
38.1x12.7	DRAWN		88.9x50.8	DRAWN	
40x7	DRAWN	0.5	100x10	DRAWN	0.8
40x10	DRAWN		100x12	DRAWN	
40x12	DRAWN	0.4	100x20	DRAWN	
40x15	DRAWN		100x25	DRAWN	
40x20	DRAWN		100x40	DRAWN	
40x25	DRAWN		101.6x38.1	DRAWN	0.4
44.45x31.75	DRAWN	0.2	101.6x50.8	DRAWN	
50x6	DRAWN	0.3	101.6x76.2	DRAWN	
50x7	DRAWN	0.2	127x76.2	DRAWN	0.3
50x10	DRAWN	0.3	150x12	DRAWN	
50x12	DRAWN	0.3	150x20	DRAWN	
50x15	DRAWN	1.8	150x25	DRAWN	
50x20	DRAWN	5.2	152.4x25.4	DRAWN	0.4

1004B		
16x5	DRAWN	1
32x5	DRAWN	3.2
40x5	DRAWN	3.9

U1010		
25x7	DRAWN	2.2

1214 (230M07)		
50.8x38.1	DRAWN	0.2

1045		
32x10	BLACK	3.6

4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140			4140		
50x25	AR		118x63	Q&T	
50x32	AR		118x80	AR	
63x32	Q&T		118x90	Q&T	
63x40	AR		119.6x56	Q&T	1.1
63x45	Q&T	6.6	125x71	Q&T	
66x44	AR		125x80	Q&T	
71x36	Q&T		125x100	Q&T	
71x45	Q&T		132x71	Q&T	
71x50	Q&T	2.8	132x80	AR	
75x40	AR		132x80	ANN	
75x45	Q&T		132x80	Q&T	
80x40	Q&T		132x90	Q&T	
80x50	AR		135x85	Q&T	3.8
85x45	Q&T	0.8	140x60	Q&T	1.4
85x67	Q&T	3.6	140x80	Q&T	
90x40	AR		140x90	Q&T	
90x45	Q&T	3.0	140x100	Q&T	
90x50	Q&T		150x80	Q&T	
90x63	AR		150x106	Q&T	
95x45	Q&T	1.1	150x114	Q&T	
95x50	Q&T	0.3	160x90	AR	
95x60	Q&T	1.6	160x112	Q&T	
95x63	Q&T		170x100	AR	1.7
100x56	Q&T	1.2	190x132	Q&T	0.7
100x71	AR		200x112	Q&T	2.1
106x56	Q&T		200x140	AR	
106x63	Q&T		225x140	Q&T	1.0
112x63	Q&T	0.5			
112x80	Q&T	2.0			

MECAPLUS 470

AR

1.0

ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE

DIA	METERS	DIA	METERS
47.62x38.1	0.4	114.3x101.6	94.1
50.8x38.1	796.9	120x100	37.1
57.15x44.45	115.4	120.65x101.6	93.1
60x50	52.8	127x101.6	
60.32x50.8	23.6	127x114.3	73.2
63.5x50.8	23.6	139.7x127	
69.85x57.15	12.6	146.05x127	
70x55	38.8	150x125	
76.2x63.5		152.4x127	37.3
82x70	38.4	152.4x139.7	70.4
82.55x63.5		165.1x152.4	
82.55x69.85	42.4	168.2x152.4	
88.9x76.2	19.2	170x140	63.9
95x80	79.0	171.45x152.4	
95.2x76.2	12.2	180x150	
95.25x82.55	31.3	190x160	
100x80	24.4	203.2x177.8	
101.6x88.9	139.7	210x180	20.2
107.95x88.9	31.5	228.6x203.2	29.3
		254x228.6	