



P.O. Box 552
Warners Bay NSW 2282

5 Laverick Avenue
Tomago NSW 2322

STOCKLIST 21ST DECEMBER 2023

| | | | | | |
|------------|-------------------------------------|--------------------------------|----------------|---------------|-----------------|
| PAGE 2-6 | 4140 | | | | |
| PAGE 7-8 | 4340 | | | | |
| PAGE 9-10 | 1045 | | | | |
| PAGE 11-12 | M1020 | | | | |
| PAGE 13 | 1030 | | | | |
| PAGE 14 | 8620 | | | | |
| PAGE 15-16 | VARIOUS | EN36A 300 PLUS 17CrNiMo6 | EN26 XK1320 | EN39B 1141 | EN25 XK9261S |
| PAGE 17 | 1214 | | | | |
| PAGE 18 | 12L14 | | | | |
| PAGE 19-20 | CHROME | 4140 | 1045 | | |
| PAGE 21-22 | HEXAGONS | 4140 12L14 | 1045 | 1214 | |
| PAGE 23 | SQUARE | 1214 4140 | 1045 1020 | 12L14 | |
| PAGE 24 | FLAT | M1020 U1010 | 1004B | 1016 | |
| PAGE 25 | HOLLOW | 4140 | CARBON | | |
| PAGE 26 | ST52 HYDRAULIC TUBE | | | | |

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: sales@milltechmartinbright.com

www.milltechmartinbright.com

| 4140 | | | | | |
|-------|-----------|-------------------|--------------------------|-----|---|
| DIA | AS ROLLED | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT | | QUENCH & TEMPERED PRECISION GROUND (H8) |
| | | | H10 | K12 | H8 |
| 8 | | | 0.3 | | |
| 10 | | | | | |
| 12 | | | | | 5.1 |
| 12.7 | | | 0.3 | | 0.7 |
| 13 | | 4.8 | | | |
| 14 | | 5.1 | | | |
| 14.28 | | | | | |
| 14.55 | | | 1.3 | | |
| 16 | | | | | |
| 17.5 | | | | | |
| 18 | | | | | |
| 18.2 | | | | | |
| 19 | | | | | |
| 19.05 | | | | | |
| 20 | | | | | |
| 20.92 | | | | | |
| 21 | | 0.5 | | | |
| 21.7 | | | | | |
| 21.9 | | | | | |
| 22 | | 0.4 | | | |
| 22.22 | | | | | |
| 23 | | 15.4 | | | |
| 24 | | 11.0 | | | |
| 25 | | | | | |
| 25.4 | | | | | |
| 26 | | | | | |
| 27 | | 0.5 | | | |
| 27.6 | | | | | |
| 28 | | | | | |
| 28.58 | | | | | |
| 30 | | 29.3 | | | |
| 31.75 | | | | | |
| 32 | 3.9 | 6.6 | | | 0.3 |
| 33 | | 3.2 | | | |
| 34.92 | | | | | 1.8 |

| 4140 | | | | | |
|--------|-----------|-------------------|--------------------------|-----|---|
| DIA | AS ROLLED | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT | | QUENCH & TEMPERED PRECISION GROUND (H8) |
| | | | H10 | K12 | H8 |
| 35 | | 52.0 | | | |
| 36 | | 25.2 | | | |
| 37.5 | | | | | |
| 38 | | 33.5 | | | |
| 38.1 | | | | | |
| 39 | | 59.4 | | | |
| 40 | | 62.4 | | | |
| 41.27 | | | | | 0.7 |
| 42 | | | | | |
| 44.45 | | | | | 4.6 |
| 45 | | 6.5 | | | |
| 45.3 | | | | | |
| 46 | 97.8 | | | 0.6 | |
| 47.625 | | | | | |
| 48 | | 47.7 | | | |
| 50 | | 20.7 | | | |
| 50.6 | | | | | |
| 50.8 | | | | | |
| 51.75 | | | | | |
| 52 | | 128.8 | | | |
| 53 | | 11.6 | | | |
| 53.975 | | | | | |
| 54 | | | | | |
| 55 | | | | | |
| 55.5 | | | | 0.6 | |
| 56 | | 43.9 | | | |
| 57.15 | | | | | |
| 60 | 40.8 | | | | |
| 63 | | 68.9 | | | |
| 63.5 | | | | | |
| 64 | | 0.4 | | | |

| 4140 | | | | | |
|-------|-----------|-------------------|--------------------------|-----|---|
| DIA | AS ROLLED | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT | | QUENCH & TEMPERED PRECISION GROUND (H8) |
| | | | H10 | K12 | H8 |
| 65 | | 5.2 | | | |
| 68.5 | | | | | |
| 69.85 | | | 3.1 | | 0.1 |
| 70 | | 7.2 | | | |
| 72 | | | | | |
| 73.5 | | | | | |
| 75 | | | | | |
| 76.2 | | | | | |
| 80 | 133.4 | | | | |
| 82 | | | | | |
| 82.55 | | | | 0.3 | |
| 85 | | 76.0 | | | |
| 87 | | | | | |
| 88.9 | | | 0.6 | | |
| 90 | | 23.0 | | | |
| 92 | | | | | |
| 95 | | | | | |
| 100 | | | | | |
| 101.6 | | | 0.8 | | |
| 105 | | 72.5 | | | |
| 106 | | | | | |
| 110 | | | | | |
| 114.3 | | | | | |
| 115 | | 32.4 | | | |
| 120 | | 29.8 | | | |
| 125 | | | | | |
| 127 | | | | | |
| 130 | | 30.2 | | | |
| 135 | | | | | |
| 136 | | | | | |
| 140 | | 26.2 | | | |
| 145 | | | | | |
| 146 | | | | | |
| 150 | | 18.3 | | | |
| 160 | | 51.7 | | | |
| 162 | | | | | |
| 165 | | | | 1.1 | |

| 4140 | | | | | |
|------|-----------|-------------------|--------------------------|--|---|
| DIA | AS ROLLED | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT | | QUENCH & TEMPERED PRECISION GROUND (H8) |
| 170 | | 50.1 | | | |
| 185 | | 15.5 | | | |
| 190 | | | | | |
| 200 | | | | | |
| 210 | 1.8 | 15.1 | | | |
| 220 | | 5.5 | | | |
| 230 | | 25.1 | | | |
| 240 | | | | | |
| 250 | | | | | |
| 260 | | | | | |
| 270 | | 2.8 | | | |
| 280 | | 5.7 | | | |
| 290 | | | | | |

| 4140 | | | | | |
|------|-------------------------|----------------------|-----------------------------|-----|--|
| DIA | AS FORGED (MACHINED) | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT | | QUENCH & TEMPERED PRECISION GROUND (H8) |
| | | | H10 | K12 | H8 |
| 300 | | 7.2 | | | |
| 310 | | | | | |
| 312 | | | | | |
| 315 | | | | | |
| 320 | 9.4 | | | | |
| 330 | | | | | |
| 340 | 4.1 | | | | |
| 350 | | | | | |
| 360 | | | | | |
| 370 | | | | | |
| 380 | | | | | |
| 385 | | | | | |
| 390 | | | | | |
| 395 | | | | | |
| 400 | | | | | |
| 405 | | | | | |
| 410 | | | | | |
| 420 | | | | | |
| 425 | | | | | |
| 440 | | | | | |
| 445 | | | | | |
| 450 | | | | | |
| 460 | | | | | |
| 465 | | | | | |
| 475 | | | | | |
| 480 | | | | | |
| 500 | | | | | |
| 515 | | | | | |
| 520 | | | | | |
| 530 | | | | | |
| 540 | | | | | |
| 550 | | | | | |
| 560 | | | | | |
| 570 | | | | | |
| 590 | | | | | |
| 610 | | | | | |
| 650 | | | | | |

| 4340 | | | | | |
|--------|-----------|-------------------|--------------------------------|---------------------------------------|---|
| DIA | AS ROLLED | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT (h10) | QUENCH & TEMPERED BRIGHT (PEELED K12) | QUENCH & TEMPERED PRECISION GROUND (h8) |
| 19.05 | | | | | |
| 20 | | 6.6 | | | |
| 22 | | | | | |
| 25 | | | | | 0.3 |
| 25.4 | | | | | |
| 28 | | 0.1 | | | |
| 30 | | 15.4 | | | |
| 35 | | 2.7 | | | |
| 38 | 6.2 | 5.4 | | | |
| 38.1 | | | 0.3 | | |
| 40 | | | | | |
| 42 | | 7.8 | | | |
| 45 | | 4.1 | | | |
| 48 | | 14.4 | | | |
| 50 | 1.8 | 0.4 | | | |
| 50.8 | | | 1.7 | | |
| 53 | | 6.8 | | | |
| 55 | | 5.0 | | | |
| 60 | | | 0.5 | | |
| 63.5 | | | 0.9 | | |
| 65 | 11.4 | | | | 0.1 |
| 68 | | | | | |
| 70 | | | 0.2 | | |
| 75 | | 5.2 | 6.3 | | |
| 80 | | 18.2 | 0.2 | | |
| 85 | | 0.6 | | | |
| 90 | | 10.5 | | | |
| 95 | | 7.7 | | | |
| 100 | | 4.3 | 0.4 | | 0.7 |
| 105 | | | | | |
| 110 | | | | | |
| 112 | | | | | |
| 115 | | 4.8 | | | |
| 120 | 7.6 | | | | |
| 125 | | 3.0 | | | |
| 130 | | | | | |
| 140 | | | | 0.7 | |
| 142 | | | | | |
| 145 | 7.9 | | | | |
| 150 | | 4.2 | | | |
| 160 | 15.5 | | | | |
| 170 | | | | | |
| 180 | | 1.0 | | | |
| 184.15 | | | | | |
| 190 | | 2.6 | | | |
| 200 | | | | | |
| 210 | | 5.1 | | | |
| 220 | | | | | |
| 230 | | 9.9 | | | |

| 4340 | | | | | |
|------|---------------------|-------------------|--------------------------------|---------------------------------------|------------------------------------|
| DIA | AS ROLLED/AS FORGED | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT (h10) | QUENCH & TEMPERED BRIGHT (PEELED K12) | QUENCH & TEMPERED PRECISION GROUND |
| 240 | | 4.5 | | | |
| 250 | | | | | |
| 260 | | | | | |
| 280 | | | | | |
| 300 | | | | | |
| 310 | | | | | |
| 320 | | | | | |
| 330 | | | | | |
| 340 | | | | 3.934 (Machined) | |
| 350 | | | | | |
| 380 | 0 (Machined) | | | 4.932 (Machined) | |

| 1045 ROUND BAR | | | | | | |
|----------------|-------------------|--------|--|--------|-------------------|--------|
| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
| 9.52 | BRIGHT | 1.0 | | 70 | BLACK | |
| 10 | BRIGHT | | | 70 | IH PP h10 | |
| 11.2 | COIL | 7.6 | | 75 | BLACK | |
| 12 | BRIGHT | 0.8 | | 76 | BLACK | |
| 14 | COIL | 7.1 | | 76.2 | PP h10 | 3.7 |
| 15.87 | BRIGHT | 1.6 | | 80 | BLACK | |
| 16 | BLACK | 8.4 | | 80 | PG | 1.0 |
| 16 | BRIGHT | 1.8 | | 80 | PP h10 | 3.0 |
| 17 | COIL | 25.4 | | 80.96 | PG | |
| 18 | BLACK | 11.5 | | 85 | BLACK | |
| 19.05 | BRIGHT | 1.1 | | 85 | PP h10 | 1.3 |
| 19.7 | COIL | | | 88.9 | PP h10 | 1.6 |
| 20 | BLACK | | | 90 | BLACK | |
| 21.7 | BLACK | | | 90 | PP h10 | 8.7 |
| 22 | BLACK | 10.9 | | 90 | IH PP h10 | 0.3 |
| 22 | BRIGHT | 1.9 | | 95 | BLACK | |
| 22.22 | BRIGHT | 2.1 | | 100 | BLACK | |
| 24 | BLACK | | | 101.6 | PP h10 | |
| 24 | BRIGHT | 1.3 | | 105 | BLACK | 16.7 |
| 25.4 | BRIGHT | | | 110 | BLACK | 3.8 |
| 26 | BLACK | 7.4 | | 110 | PP h10 | 5.1 |
| 28.57 | BRIGHT | 3.4 | | 114.3 | PP h10 | 0.5 |
| 30 | BLACK | | | 115 | BLACK | 13.7 |
| 30 | BRIGHT | 3.5 | | 120 | BLACK | 16.7 |
| 32 | BLACK | 20.6 | | 120 | PP h10 | |
| 33 | BRIGHT | | | 125 | BLACK | 23.1 |
| 34 | BRIGHT | 0.4 | | 130 | BLACK | |
| 34.92 | BRIGHT | 23.6 | | 135 | BLACK | |
| 35 | BLACK | 7.3 | | 140 | BLACK | 9.5 |
| 36 | BLACK | | | 145 | BLACK | 7.8 |
| 36.51 | BRIGHT | 0.3 | | 150 | BLACK | 20.5 |
| 38.1 | BRIGHT | 6.7 | | 150 | PP h10 | |
| 39 | BLACK | | | 160 | BLACK | 4.9 |
| 40 | BLACK | | | 170 | BLACK | 0.2 |
| 40 | PG | | | 180 | BLACK | 18.0 |
| 41.27 | BRIGHT | 0.0 | | 184.15 | BLACK | 1.3 |
| 42 | BLACK | | | 190 | BLACK | 11.4 |
| 44.45 | PP H10 | | | 200 | BLACK | 16.2 |
| 45 | BLACK | | | 210 | BLACK | 17.6 |
| 45 | BRIGHT | | | 220 | BLACK | 10.5 |
| 46.5 | BLACK | | | 230 | BLACK | 2.9 |
| 48 | BLACK | | | 240 | BLACK | 34.0 |
| 50 | BLACK | | | 250 | BLACK | 34.6 |
| 50 | BRIGHT | 9.3 | | 260 | BLACK | 7.7 |
| 50.75 | BRIGHT | | | 270 | BLACK | 2.6 |
| 50.8 | BRIGHT | 14.9 | | 290 | BLACK | |
| 52 | BLACK | | | 300 | BLACK | |
| 53.97 | BRIGHT | | | 300 | MACHINED | |
| 54 | BLACK | 3.0 | | 310 | BLACK | |
| 55.56 | BRIGHT | | | 310 | MACHINED | |
| 56 | BLACK | 20.4 | | 320 | BLACK | |
| 60 | BLACK | | | 320 | MACHINED | |
| 63.5 | BRIGHT | 2.3 | | 330 | BLACK | |
| 64 | BLACK | | | 330 | MACHINED | 4.6 |
| 65 | BLACK | | | 340 | BLACK | |
| 68.5 | BLACK | 16.7 | | 340 | MACHINED | |

| 1045 ROUND BAR | | | | | | |
|----------------|-------------------|--------|--|-----|-------------------|--------|
| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
| | | | | | | |
| 350 | BLACK | | | | | |
| 350 | MACHINED | | | | | |
| 360 | BLACK | | | | | |
| 360 | MACHINED | 9.4 | | | | |
| 370 | BLACK | | | | | |
| 370 | MACHINED | | | | | |
| 380 | BLACK | | | | | |
| 380 | MACHINED | | | | | |
| 390 | BLACK | | | | | |
| 390 | MACHINED | | | | | |
| 400 | BLACK | | | | | |
| 400 | MACHINED | | | | | |
| 410 | BLACK | | | | | |
| 410 | MACHINED | | | | | |

M1020 ROUND BAR

| DIA | SURFACE CONDITION | TONNES | DIA | SURFACE CONDITION | TONNES |
|-------|-------------------|--------|-------|-------------------|--------|
| 4.76 | BRIGHT | | 28.57 | BRIGHT | |
| 5 | BRIGHT | | 29.97 | BRIGHT | |
| 6 | BRIGHT | | 30 | BLACK | |
| 8 | CD h10 | | 30 | BRIGHT | |
| 9 | COIL | 2.6 | 31.75 | BRIGHT | |
| 9 | BRIGHT | 0.8 | 32 | BLACK | |
| 9.52 | BRIGHT | | 33 | BLACK | 3.9 |
| 10 | COIL | 7.7 | 34.92 | BRIGHT | |
| 10 | BRIGHT | | 36 | BLACK | |
| 11.11 | BRIGHT | 0.8 | 36 | BRIGHT | |
| 11.2 | COIL | 16.8 | 38.1 | BRIGHT | 10.8 |
| 12 | COIL | 28.4 | 39 | BLACK | 0.3 |
| 12 | BRIGHT | | 39 | BRIGHT | 1.8 |
| 12.7 | BRIGHT | 0.9 | 40 | BLACK | 12.5 |
| 13 | COIL | | 40 | BRIGHT | |
| 13.6 | BRIGHT | | 41.27 | BRIGHT | 1.4 |
| 14 | COIL | 3.0 | 42 | BLACK | |
| 14 | BRIGHT | | 42 | BRIGHT | 0.3 |
| 14.29 | BRIGHT | 1.5 | 45 | BLACK | 17.3 |
| 14.4 | BLACK | | 45 | BRIGHT | 2.1 |
| 14.55 | BRIGHT | | 46 | BLACK | |
| 14.96 | BRIGHT | | 49.97 | BRIGHT | 2.4 |
| 15 | COIL | | 50 | BLACK | |
| 15 | BRIGHT | 0.2 | 50 | BRIGHT | 14.6 |
| 15.87 | BRIGHT | 1.3 | 50.8 | BRIGHT | 9.3 |
| 16 | COIL | 7.6 | 52 | BLACK | 58.2 |
| 17 | COIL | 4.6 | 56 | BLACK | 25.0 |
| 17 | BRIGHT | | 56 | BRIGHT | 0.9 |
| 18 | BRIGHT | 0.1 | 57.15 | BRIGHT | 4.0 |
| 18.2 | BRIGHT | | 60 | BLACK | |
| 19 | BRIGHT | 0.2 | 64 | BLACK | 30.3 |
| 19.05 | BRIGHT | 3.2 | 65 | BLACK | 22.3 |
| 19.96 | BRIGHT | | 68.5 | BLACK | 45.9 |
| 20 | COIL | 21.1 | 69.85 | PP h10 | |
| 20 | BRIGHT | 7.4 | 70 | BLACK | |
| 21 | COIL | 1.9 | 75 | BLACK | 38.9 |
| 21.7 | BLACK | | 76.2 | PP h10 | |
| 21.8 | BRIGHT | 1.0 | 80 | BLACK | 47.5 |
| 22 | BRIGHT | 5.1 | 82.55 | PP h10 | 1.8 |
| 24 | BLACK | 19.6 | 85 | BLACK | |
| 25 | BLACK | | 85 | PP h10 | |
| 25.37 | BRIGHT | | 88.9 | PP h10 | 0.2 |
| 25.4 | BRIGHT | 9.4 | 90 | BLACK | |
| 26 | BLACK | 35.2 | 90 | PP h10 | |
| 27 | BRIGHT | 1.3 | 95 | BLACK | 19.9 |

| M1020 ROUND BAR | | | | | |
|-----------------|-------------------|--------|-------|-------------------|--------|
| DIA | SURFACE CONDITION | TONNES | DIA | SURFACE CONDITION | TONNES |
| 95 | PP h10 | | 203.2 | PLD k12 | |
| 100 | BLACK | 28.4 | 203.2 | PP h11 | |
| 101.6 | PP h10 | 1.2 | 210 | BLACK | 9.9 |
| 105 | BLACK | 6.9 | 220 | BLACK | 10.7 |
| 110 | BLACK | 4.6 | 228.6 | PLD k12 | |
| 110 | PP h10 | | 230 | BLACK | |
| 114.3 | PP h11 | 0.9 | 240 | BLACK | 4.3 |
| 115 | BLACK | 7.6 | 250 | BLACK | |
| 120 | BLACK | 10.3 | 250 | PLD k12 | |
| 125 | BLACK | 0.6 | 254 | PLD k12 | |
| 127 | PP h10 | | 260 | BLACK | 7.5 |
| 130 | BLACK | 16.4 | 270 | BLACK | |
| 135 | BLACK | 2.1 | 280 | BLACK | |
| 140 | BLACK | 5.2 | 300 | BLACK | |
| 145 | BLACK | 1.5 | 350 | BLACK | |
| 150 | BLACK | 16.7 | 400 | BLACK | |
| 160 | BLACK | | 440 | BLACK | |
| 170 | BLACK | 4.3 | | | |
| 170 | PLD k12 | | | | |
| 175 | PP h10 | 1.1 | | | |
| 180 | BLACK | 10.9 | | | |
| 180 | PLD k12 | 0.2 | | | |
| 184.15 | BLACK | 9.2 | | | |
| 190 | BLACK | 11.1 | | | |
| 190 | PLD k12 | | | | |
| 190 | PP h10 | | | | |
| 190.5 | PLD k12 | | | | |
| 190.5 | PP h11 | | | | |
| 200 | BLACK | 5.9 | | | |
| 200 | PP h11 | | | | |
| | | | | | |

| 1030 ROUND BAR | | | | | | |
|----------------|-------------------|--------|--|-------|-------------------|--------|
| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
| 6 | BRIGHT | | | 35 | BLACK | 4.6 |
| 6.35 | BRIGHT | | | 35 | BRIGHT | |
| 7.94 | BRIGHT | | | 36 | BLACK | 24.0 |
| 8 | BRIGHT | | | 39 | BLACK | |
| 9 | COIL | | | 39 | BRIGHT | |
| 9.52 | BRIGHT | | | 40 | BLACK | 6.3 |
| 10 | BRIGHT | | | 40 | PG | |
| 11.2 | COIL | | | 42 | BLACK | |
| 12 | BLACK | 0.3 | | 44.45 | BRIGHT | |
| 12 | BRIGHT | | | 46 | BLACK | |
| 12.7 | BRIGHT | | | 48 | BLACK | |
| 14 | COIL | | | 50.8 | BRIGHT | |
| 16 | BRIGHT | | | 52 | BLACK | 36.3 |
| 16.97 | BRIGHT | | | 55 | BRIGHT | |
| 17 | COIL | 3.0 | | 56 | BLACK | |
| 18 | COIL | | | 56 | BRIGHT | |
| 19.05 | BRIGHT | | | 57.15 | BRIGHT | |
| 19.7 | COIL | 3.5 | | 60 | BLACK | 9.3 |
| 20 | BLACK | | | 60 | BRIGHT | |
| 20 | BRIGHT | | | 63.5 | BRIGHT | |
| 21.7 | BLACK | 2.0 | | 64 | BLACK | 23.2 |
| 22 | BRIGHT | | | 65 | BLACK | 15.5 |
| 22.22 | BRIGHT | | | 68.5 | BLACK | |
| 24 | BLACK | | | 75 | BLACK | 10.3 |
| 24 | BRIGHT | | | 75 | PP h10 | |
| 25 | BRIGHT | | | 80 | BLACK | 16.9 |
| 25.4 | BRIGHT | | | 82.55 | PP h10 | |
| 26 | BLACK | | | 85 | BLACK | 31.4 |
| 26 | BRIGHT | | | 88.9 | BRIGHT | |
| 27 | BLACK | 15.5 | | 90 | BLACK | 3.0 |
| 27 | BRIGHT | | | 95 | BLACK | 7.1 |
| 28.57 | BRIGHT | | | 105 | BLACK | 4.1 |
| 29.97 | BRIGHT | | | 114.3 | PP h10 | |
| 30 | BLACK | 2.7 | | 115 | BLACK | 4.0 |
| 30 | BRIGHT | | | 120 | BLACK | 0.6 |
| 31.75 | BRIGHT | | | 120 | PP h10 | |
| 32 | BLACK | 12.8 | | 125 | BLACK | 0.6 |
| 32 | BRIGHT | | | 127 | PP h10 | |
| 33 | BLACK | | | 130 | BLACK | 9.5 |
| 33 | BRIGHT | | | 135 | BLACK | |
| 34.92 | BRIGHT | | | 160 | BLACK | 2.8 |

| 8620 ROUND BAR | | | | | | |
|----------------|-------------------|--------|--|-----|-------------------|--------|
| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
| 16 | PEELED k12 | | | 75 | BLACK | |
| 17 | BLACK | | | 80 | BLACK | 0.7 |
| 23 | BLACK | 6.1 | | 85 | BLACK | 0.3 |
| 24 | BLACK | | | 90 | BLACK | 0.4 |
| 26 | BLACK | 0.3 | | 95 | BLACK | |
| 27 | BLACK | 4.6 | | 100 | BLACK | 1.8 |
| 30 | PEELED k12 | | | 105 | BLACK | 2.5 |
| 33 | BLACK | 2.9 | | 110 | BLACK | 7.5 |
| 36 | BLACK | 2.3 | | 120 | BLACK | 1.6 |
| 39 | BLACK | 5.3 | | 130 | BLACK | 2.9 |
| 40 | BLACK | 7.9 | | 140 | BLACK | 12.5 |
| 42 | BLACK | 5.3 | | 150 | BLACK | 9.1 |
| 46.5 | BLACK | 2.2 | | 160 | BLACK | 1.9 |
| 50 | BLACK | 12.1 | | 170 | BLACK | 5.4 |
| 56 | BLACK | 1.6 | | 180 | BLACK | |
| 60 | BLACK | 6.1 | | 190 | BLACK | 4.1 |
| 65 | BLACK | 3.0 | | 220 | BLACK | 5.6 |
| 70 | BLACK | 1.8 | | 230 | BLACK | 6.0 |

EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
|--------------|-------------------|--------|--|-------------|-------------------|--------|
| EN36A | | | | EN26 | | |
| 14 | ANN PLD | | | 27 | AR | |
| 20 | ANN PLD | | | 27 | Q&T | 1.0 |
| 22 | ANN PLD | 1.5 | | 32 | Q&T | 1.2 |
| 24 | ANN PLD | | | 32 | Q&T PEELED | |
| 25 | ANN PLD | 1.1 | | 35 | Q&T | |
| 26 | ANN PLD | | | 38 | AR | |
| 33 | ANN PLD | | | 38 | Q&T | 1.4 |
| 35 | ANN PLD | | | 40 | AR | |
| 36 | ANN PLD | 0.5 | | 42 | AR | |
| 40 | ANN PLD | 1.8 | | 45 | AR | |
| 42 | ANN PLD | | | 47 | Q&T | 3.0 |
| 45 | ANN PLD | | | 53 | Q&T | 7.1 |
| 55 | ANN PLD | | | 55.5 | PP h10 | |
| 55.5 | ANN PLD | | | 60 | Q&T | |
| 60 | ANN PLD | 1.0 | | 65 | AR | |
| 65 | ANN PLD | 1.9 | | 70 | AR | 0.6 |
| 66 | ANN PLD | 2.9 | | 70 | Q&T | 6.5 |
| 70 | ANN PLD | 0.5 | | 75 | Q&T | 6.7 |
| 75 | ANN PLD | | | 76.5 | Q&T PEELED | |
| 80 | ANN PLD | | | 80 | AR | |
| 85 | ANN PLD | | | 80 | Q&T | |
| 90 | ANN PLD | | | 85 | AR | |
| 92 | ANN PLD | | | 88.9 | Q&T PEELED | |
| 97 | ANN PLD | 1.1 | | 90 | Q&T | 2.6 |
| 106 | ANN PLD | | | 95 | Q&T | 0.4 |
| 110 | ANN PLD | 0.4 | | 95 | Q&T PEELED | |
| 116 | ANN PLD | 0.7 | | 105 | AR | |
| 120 | ANN PLD | 1.5 | | 105 | Q&T | 6.2 |
| 140 | ANN PLD | 0.6 | | 110 | AR | |
| 152 | ANN PLD | | | 110 | Q&T | 0.3 |
| 170 | ANN PLD | 0.9 | | 115 | AR | |
| 175 | ANN PLD | | | 120 | Q&T | |
| 180 | ANN PLD | 2.7 | | 125 | AR | |
| 210 | ANN PLD | | | 135 | Q&T | |
| 220 | ANN PLD | 1.6 | | 140 | Q&T | |
| 272 | ANN PLD | | | 150 | Q&T | |
| | | | | 160 | AR | |
| | | | | 170 | AR | |
| | | | | 170 | Q&T | |
| | | | | 180 | AR | |
| | | | | 180 | Q&T PEELED | |
| | | | | 190 | AR | |
| | | | | 200 | AR | |
| | | | | 210 | AR | |
| | | | | 220 | Q&T | |
| | | | | 230 | AF MACHINED | |
| | | | | 260 | AF MACHINED | |
| | | | | 300 | AF MACHINED | |
| | | | | 310 | Q&T | |

| EN39B | | | EN25 | | |
|-------|-----------|-----|------|-----|-----|
| 28 | ANN PLD | 1.3 | 47 | ANN | 1.3 |
| 30 | ANN BLACK | 0.5 | 65 | AR | 0.5 |
| | | | | | |
| | | | | | |

| GRADE 300 PLUS | | | XK1320 | | |
|----------------|-------|------|--------|-------|-----|
| 48 | BLACK | | 18 | BLACK | 0.0 |
| 50 | BLACK | -4.0 | 42 | BLACK | 0.3 |
| 52 | BLACK | | | | |
| 56 | BLACK | | | | |
| 60 | BLACK | 1.5 | | | |
| 65 | BLACK | 7.8 | | | |
| 75 | BLACK | | | | |
| 80 | BLACK | | | | |
| 90 | | | | | |

| 17CrNiMo6 | | | 1141 | | |
|-----------|-------------|-----|------|-------|-----|
| 34.5 | ANN PLD k12 | 1.0 | 20 | BLACK | 1.0 |
| 39 | ANN PLD k12 | 0.7 | | | |
| 51.5 | ANN PLD k12 | | | | |
| 55.5 | ANN PLD k12 | 0.4 | | | |
| 65 | ANN PLD k12 | 1.1 | | | |
| 70 | ANN PLD k12 | 1.1 | | | |
| 87 | ANN PLD k12 | 0.2 | | | |
| 102 | ANN PLD k12 | 0.0 | | | |
| 105 | ANN BLK | 0.0 | | | |
| 106 | ANN PLD k12 | | | | |
| 130 | ANN PLD k12 | 0.0 | | | |
| 136 | ANN PLD k12 | 0.0 | | | |
| 160 | ANN BLK | 0.0 | | | |
| 175 | ANN PLD k12 | 0.0 | | | |
| 185 | ANN PLD k12 | 4.6 | | | |
| 220 | ANN PLD k12 | | | | |

| 1214 ROUND BAR | | | | | | |
|----------------|-------------------|--------|--|-------|-------------------|--------|
| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
| 6 | BRIGHT | | | 39 | BLACK | |
| 6.35 | BRIGHT | | | 40 | BLACK | 9.9 |
| 7 | BRIGHT | 1.2 | | 40 | BRIGHT | |
| 7.14 | BRIGHT | 0.3 | | 41.27 | BRIGHT | 0.7 |
| 8 | BRIGHT | | | 42 | BLACK | |
| 9 | COIL | 14.5 | | 42 | BRIGHT | 3.9 |
| 9 | BRIGHT | 0.5 | | 44.45 | BRIGHT | 1.2 |
| 9.52 | BRIGHT | 1.3 | | 45 | BLACK | |
| 10 | COIL | 1.5 | | 45 | BRIGHT | 0.6 |
| 10 | BRIGHT | 1.0 | | 46 | BLACK | |
| 11.11 | BRIGHT | 1.4 | | 47.62 | BRIGHT | 1.6 |
| 11.2 | COIL | 14.5 | | 48 | BLACK | 6.0 |
| 12 | BRIGHT | 2.4 | | 50 | BLACK | 11.4 |
| 12.2 | BRIGHT | | | 50 | BRIGHT | 7.8 |
| 14 | COIL | | | 50.8 | BRIGHT | 3.6 |
| 14 | BRIGHT | | | 52 | BLACK | 13.1 |
| 14.29 | BRIGHT | | | 55 | BRIGHT | 0.7 |
| 15.87 | BRIGHT | 2.5 | | 56 | BLACK | |
| 16 | COIL | | | 56 | BRIGHT | |
| 16 | BRIGHT | 3.6 | | 60 | BLACK | 11.5 |
| 16.2 | BRIGHT | | | 60 | BRIGHT | |
| 17 | COIL | 8.5 | | 60.32 | BRIGHT | |
| 17 | BRIGHT | 1.4 | | 64 | BLACK | |
| 17.46 | BRIGHT | 1.3 | | 65 | BLACK | 3.1 |
| 18 | BRIGHT | 0.2 | | 65 | BRIGHT | |
| 19 | BRIGHT | 1.3 | | 66.67 | PP h10 | 0.6 |
| 19.05 | BRIGHT | 4.6 | | 68.5 | BLACK | |
| 19.7 | COIL | 17.0 | | 69.85 | PP h10 | 2.2 |
| 20 | COIL | | | 70 | BLACK | |
| 20.64 | BRIGHT | 3.0 | | 70 | PP h10 | 0.8 |
| 21 | COIL | | | 75 | BLACK | 1.0 |
| 21.7 | COIL | | | 75 | PP h10 | 1.7 |
| 22 | BRIGHT | 1.9 | | 76.2 | PP h10 | |
| 22.22 | BRIGHT | 1.7 | | 80 | BLACK | 21.5 |
| 23.81 | BRIGHT | | | 80 | PP h10 | |
| 24 | BLACK | | | 82.55 | PP h10 | 0.6 |
| 24 | BRIGHT | 1.7 | | 85 | BLACK | 6.8 |
| 25 | BRIGHT | 0.3 | | 88.9 | PP h10 | |
| 26 | BLACK | 6.0 | | 90 | PP h10 | 2.2 |
| 28 | BRIGHT | 0.1 | | 95 | BLACK | |
| 28.58 | BRIGHT | | | 95 | PP h10 | |
| 30 | BLACK | | | 95.25 | PP h10 | |
| 30 | BRIGHT | | | 100 | BLACK | |
| 31.75 | BRIGHT | | | 105 | BLACK | 2.2 |
| 32 | BLACK | | | 110 | PP h10 | 1.6 |
| 32 | BRIGHT | 0.5 | | 115 | BLACK | 1.8 |
| 33 | BLACK | 3.9 | | 120 | PP h10 | |
| 33 | BRIGHT | 0.3 | | 125 | PP h10 | |
| 34.92 | BRIGHT | 1.8 | | 135 | BLACK | |
| 35 | BLACK | | | 139.7 | PP h10 | |
| 35 | BRIGHT | 0.4 | | 145 | BLACK | |
| 36 | BLACK | | | 160 | BLACK | |
| 36 | BRIGHT | 1.4 | | | | |

| 12L14 ROUND BAR | | | | | | |
|-----------------|-------------------|--------|--|-------|-------------------|--------|
| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
| 7.94 | BRIGHT | | | 25 | BLACK | |
| 8 | BRIGHT | 3.1 | | 26.99 | BRIGHT | 1.3 |
| 9 | BRIGHT | 2.7 | | 27 | COIL | 9.9 |
| 9.52 | BRIGHT | | | 29 | COIL | |
| 10 | BRIGHT | 1.2 | | 30 | BLACK | |
| 11.11 | BRIGHT | 0.8 | | 33 | BLACK | 15.8 |
| 11.2 | COIL | 2.0 | | 33.34 | BRIGHT | |
| 12.7 | BRIGHT | 0.4 | | 34.92 | BRIGHT | 1.0 |
| 13 | COIL | | | 35 | BRIGHT | |
| 14.29 | BRIGHT | | | 36 | BLACK | |
| 15.87 | BRIGHT | 1.5 | | 40 | BLACK | |
| 16 | COIL | | | 43 | BLACK | 5.7 |
| 16 | BRIGHT | 1.5 | | 46.5 | BLACK | 6.7 |
| 17 | COIL | | | 52 | BLACK | 7.9 |
| 17 | BRIGHT | | | 57.15 | BRIGHT | 4.2 |
| 18 | BRIGHT | 0.3 | | 60 | BLACK | 1.3 |
| 19 | COIL | | | 60 | BRIGHT | |
| 19.05 | BRIGHT | 2.3 | | 60.32 | BRIGHT | |
| 20 | COIL | | | 63.5 | BLACK | |
| 20 | BRIGHT | 0.7 | | 63.5 | BRIGHT | 5.9 |
| 20.64 | BRIGHT | 2.0 | | 65 | BLACK | |
| 21 | COIL | 7.8 | | 73 | BLACK | 3.8 |
| 23 | COIL | 2.6 | | 73.02 | PEELED | 0.4 |
| 24 | BLACK | | | 80 | BLACK | |
| | | | | 85 | BLACK | 5.8 |

4140, 1045 CHROME ROUND BAR

| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
|----------|-------------------|--------|--|-------------------------|-------------------|--------|
| 4140 H&T | | | | 4140 INDUCTION HARDENED | | |
| 20 | Q&T | 0.5 | | 34.92 | IH | |
| 22 | Q&T | | | 38.1 | IH | |
| 22.22 | Q&T | 2.2 | | 40 | IH | 0.5 |
| 25 | Q&T | 0.5 | | 44.45 | IH CB3 | |
| 28.58 | Q&T | 0.6 | | 45 | IH | 0.5 |
| 30 | Q&T | 1.4 | | 50 | IH | 0.9 |
| 31.75 | Q&T | 2.5 | | 50.8 | IH | 2.9 |
| 35 | Q&T | 1.1 | | 56 | IH | |
| 36 | Q&T | 0.3 | | 57.15 | IH | |
| 40 | Q&T | 1.9 | | 60 | IH | 1.7 |
| 44.45 | Q&T | 3.5 | | 65 | IH | |
| 44.45 | Q&T CR3 | | | 70 | IH | 1.4 |
| 45 | Q&T | 2.0 | | 76.2 | IH | |
| 55 | Q&T | 0.4 | | 76.2 | IH CB3 | |
| 56 | Q&T | | | 80 | IH | 0.5 |
| 57.15 | Q&T | 1.2 | | 88.9 | IH | 0.3 |
| 57.15 | Q&T CR3 | 1.2 | | 90 | IH | |
| 60 | Q&T | 0.3 | | 100 | IH | 0.3 |
| 63.5 | Q&T | 18.8 | | 101.6 | IH | 1.1 |
| 63.5 | Q&T CR3 | 0.3 | | 114.3 | IH | 4.4 |
| 65 | Q&T | 0.6 | | | | |
| 69.85 | Q&T | 1.5 | | | | |
| 70 | Q&T | 0.5 | | | | |
| 75 | Q&T | 1.7 | | | | |
| 76.2 | Q&T | 3.4 | | | | |
| 80 | Q&T | 3.7 | | | | |
| 85 | Q&T | 0.2 | | | | |
| 88.9 | Q&T | 2.0 | | | | |
| 90 | Q&T | 1.8 | | | | |
| 95 | Q&T | | | | | |
| 95.25 | Q&T | 3.5 | | | | |
| 100 | Q&T | 2.1 | | | | |
| 101.6 | Q&T | 3.7 | | | | |
| 114.3 | Q&T | 3.2 | | | | |
| 127 | Q&T | | | | | |
| | | | | | | |

| 1045 | | | 1045 INDUCTION HARDENED | | |
|-------|----|------|-------------------------|----|------|
| 15.87 | AR | 3.3 | 22 | IH | 0.8 |
| 16 | AR | 2 | 22.22 | IH | 0.3 |
| 19.05 | AR | 0.5 | 25.4 | IH | 1.3 |
| 20 | AR | 1.6 | 44.45 | IH | 1 |
| 22 | AR | 2.4 | 45 | IH | 0.7 |
| 22.22 | AR | 3.7 | 50 | IH | 0.8 |
| 25 | AR | 2.5 | 53.98 | IH | 0.9 |
| 25.4 | AR | 3 | 60 | IH | 0.4 |
| 28 | AR | 0.5 | 63.5 | IH | 0.15 |
| 28.57 | AR | 3.9 | 75 | IH | 0.6 |
| 30 | AR | 1.8 | 80 | IH | 0.8 |
| 31.75 | AR | 3.6 | 82.55 | IH | 0.2 |
| 32 | AR | 0.4 | 85 | IH | 0.5 |
| 34.92 | AR | 0.3 | 90 | IH | 2 |
| 35 | AR | 2 | 95.25 | IH | 1 |
| 36 | AR | 0.3 | 101.6 | IH | 0.3 |
| 44.45 | AR | 7.4 | 120 | IH | 1 |
| 45 | AR | 1.5 | 127 | IH | 1.1 |
| 47.62 | AR | 1.5 | 139.7 | IH | 0.6 |
| 48.7 | AR | 0.6 | | | |
| 50 | AR | 3.1 | | | |
| 50.8 | AR | 11.3 | | | |
| 53.98 | AR | 0.3 | | | |
| 55 | AR | 2.1 | | | |
| 56 | AR | 0.2 | | | |
| 57.15 | AR | 7.5 | | | |
| 60 | AR | 3.3 | | | |
| 63.5 | AR | 1.8 | | | |
| 65 | AR | 0.6 | | | |
| 70 | AR | 0.5 | | | |
| 75 | AR | 2.2 | | | |
| 76.2 | AR | 1.2 | | | |
| 85 | AR | 0.5 | | | |
| 88.9 | AR | 0.9 | | | |
| 90 | AR | 1.2 | | | |
| 95.25 | AR | 0.7 | | | |
| 100 | AR | 0.2 | | | |
| 101.6 | AR | 3.4 | | | |
| 105 | AR | 0.4 | | | |
| 120 | AR | 0.5 | | | |
| 127 | AR | 1.4 | | | |
| 152.4 | AR | 0.7 | | | |

| 4140, 1045, 1214, 12L14 HEXAGON BAR | | | | | | |
|-------------------------------------|-------------------|--------|--|-----------|-------------------|--------|
| SIZE AF | SURFACE CONDITION | TONNES | | SIZE AF | SURFACE CONDITION | TONNES |
| 4140 | | | | 1045 | | |
| 19.05 HEX | Q&T DRAWN | 0.4 | | 19.05 HEX | DRAWN | 0.3 |
| 22.22 HEX | Q&T DRAWN | | | 28.57 HEX | DRAWN | |
| 25 HEX | AR BLACK | | | 30 HEX | DRAWN | |
| 25.4 HEX | Q&T DRAWN | 0.7 | | 31.75HEX | DRAWN | |
| 27 HEX | Q&T DRAWN | | | 36 HEX | DRAWN | 2.1 |
| 31.75 HEX | Q&T DRAWN | 3.5 | | 38.1 HEX | DRAWN | |
| 34.92 HEX | Q&T DRAWN | | | 39.5 HEX | BLACK | |
| 36 HEX | Q&T DRAWN | 1.3 | | 44.45 HEX | DRAWN | 0.6 |
| 37.5 HEX | AR BLACK | | | 46 HEX | DRAWN | |
| 37.5 HEX | Q&T BLACK | 7.4 | | 47.5 HEX | BLACK | 3.8 |
| 38.1 HEX | Q&T DRAWN | | | 50.8 HEX | DRAWN | 1.0 |
| 39.5 HEX | Q&T BLACK | | | 52.5HEX | BLACK | 5.7 |
| 44.5 HEX | Q&T BLACK | | | | | |
| 47.5 HEX | AR BLACK | | | | | |
| 52.5 HEX | AR BLACK | | | | | |
| 55 HEX | Q&T DRAWN | 1.3 | | | | |
| 57.5 HEX | AR BLACK | | | | | |
| 57.5 HEX | Q&T BLACK | 2.0 | | | | |
| 65 HEX | Q&T BLACK | 3.7 | | | | |

| M1020 | | |
|----------|-------|-----|
| 31.75HEX | DRAWN | 0.5 |

| 4140, 1045, 1214, 12L14 HEXAGON BAR | | | | | | |
|-------------------------------------|-------------------|--------|--|-----------|-------------------|--------|
| SIZE AF | SURFACE CONDITION | TONNES | | SIZE AF | SURFACE CONDITION | TONNES |
| 1214 | | | | 12L14 | | |
| 11.11 HEX | DRAWN | 1.8 | | 7.94 HEX | DRAWN | 1.9 |
| 12.7 HEX | DRAWN | 2.4 | | 11.11 HEX | DRAWN | |
| 15.87 HEX | DRAWN | 2.8 | | 12 HEX | DRAWN | |
| 17.46 HEX | DRAWN | 7.0 | | 12.7 HEX | DRAWN | 1.5 |
| 19.05 HEX | DRAWN | 3.5 | | 14 HEX | DRAWN | 1.4 |
| 20.64 HEX | DRAWN | 0.9 | | 15.88 HEX | DRAWN | 2.5 |
| 22.22 HEX | DRAWN | 1.8 | | 17 HEX | DRAWN | |
| 23.81 HEX | DRAWN | 0.9 | | 18.03 HEX | DRAWN | |
| 24 HEX | DRAWN | 0.3 | | 19 HEX | DRAWN | |
| 25 HEX | DRAWN | 0.2 | | 22 HEX | DRAWN | 0.8 |
| 25.4 HEX | DRAWN | 1.0 | | 24 HEX | DRAWN | 0.1 |
| 28.57 HEX | DRAWN | | | 28.5 HEX | BLACK | |
| 30 HEX | DRAWN | | | 30 HEX | BLACK | 20.7 |
| 34.92 HEX | DRAWN | 16.1 | | 30 HEX | DRAWN | 0.5 |
| 36 HEX | DRAWN | 3.7 | | 33 HEX | BLACK | 10.9 |
| 37.5 HEX | BLACK | | | 33.02 HEX | DRAWN | 0.5 |
| 38.1 HEX | DRAWN | | | 37.5 HEX | BLACK | 20.9 |
| 39.5 HEX | BLACK | | | 39.5 HEX | BLACK | 9.6 |
| 44.5 HEX | BLACK | | | 41.27 HEX | DRAWN | |
| 47.5 HEX | BLACK | | | 44.5 HEX | BLACK | |
| 50 HEX | DRAWN | 16.1 | | 46 HEX | DRAWN | |
| 50.8 HEX | DRAWN | 16.1 | | 47.5 HEX | BLACK | 10.1 |
| 52.07 HEX | DRAWN | 16.1 | | 47.62 HEX | DRAWN | 1.2 |
| 52.5 HEX | BLACK | | | 49 HEX | BLACK | 3.3 |
| 55 HEX | DRAWN | 0.3 | | 50 HEX | DRAWN | |
| 57 HEX | BLACK | | | 53.5 HEX | BLACK | 3.9 |
| 65 HEX | BLACK | | | 57 HEX | BLACK | 1.6 |
| 70 HEX | DRAWN | 4.7 | | 58.5 HEX | BLACK | |
| 75 HEX | DRAWN | 10.3 | | 60 HEX | DRAWN | 0.3 |
| 76.2 HEX | DRAWN | 6.1 | | 63 HEX | BLACK | 5.4 |
| | | | | 63.5 HEX | DRAWN | 0.5 |
| | | | | 65 HEX | DRAWN | |

| 1214, 1045, 12L14, 4140, 1020 SQUARE BAR | | | | | | |
|--|-------------------|--------|--|---------------|-------------------|--------|
| SIZE | SURFACE CONDITION | TONNES | | SIZE | SURFACE CONDITION | TONNES |
| 1214 | | | | 1045 | | |
| 9.52 SQUARE | DRAWN | | | 19.05 SQUARE | DRAWN | 2.1 |
| 12.7 SQUARE | DRAWN | | | 25 SQUARE | DRAWN | |
| 15.88 SQUARE | DRAWN | 0.3 | | 30 SQUARE | BLACK | |
| 16 SQUARE | DRAWN | | | 32 SQUARE | DRAWN | |
| 20 SQUARE | BLACK | | | 38.1 SQUARE | DRAWN | 1.9 |
| 20 SQUARE | DRAWN | | | 38.1RC SQUARE | DRAWN | 1.0 |
| 22.22 SQUARE | DRAWN | 0.3 | | 40 SQUARE | BLACK | |
| 25.4 SQUARE | DRAWN | | | 45 SQUARE | BLACK | |
| 28.57 SQUARE | DRAWN | | | 50 SQUARE | BLACK | |
| 31.75 SQUARE | DRAWN | 3.3 | | 52 SQUARE | BLACK | |
| 34.92 SQUARE | DRAWN | 9.1 | | 63 SQUARE | BLACK | |
| 38.1 SQUARE | DRAWN | 2.4 | | 75 SQUARE | BLACK | |
| 40 SQUARE | BLACK | | | 80 SQUARE | BLACK | |
| 40 SQUARE | DRAWN | | | 90 SQUARE | BLACK | 24.6 |
| 44.45 SQUARE | DRAWN | | | 100 SQUARE | BLACK | |
| 50 SQUARE | DRAWN | | | 130 SQUARE | BLACK | 0.1 |
| 50.8 SQUARE | DRAWN | 0.4 | | 160 SQUARE | BLACK | 2.4 |
| 52 SQUARE | BLACK | | | | | |
| 57.15 SQUARE | DRAWN | | | | | |
| 63.5 SQUARE | DRAWN | | | | | |
| 76.2 SQUARE | DRAWN | | | | | |
| 88.9 SQUARE | DRAWN | 0.4 | | | | |
| 100 SQUARE | DRAWN | 0.3 | | | | |
| 101.6 SQUARE | DRAWN | | | | | |

| 1020 | | | | 4140 | | |
|--------------|-------|--|--|--------------|-----------|------|
| 12 SQUARE | DRAWN | | | 28.58 SQUARE | Q&T DRAWN | |
| 15.88 SQUARE | DRAWN | | | 30 SQUARE | Q&T | |
| 19.05 SQUARE | DRAWN | | | 32 SQUARE | AR | |
| 20 SQUARE | DRAWN | | | 32 SQUARE | Q&T | 2.5 |
| 25 SQUARE | DRAWN | | | 38.1 SQUARE | Q&T DRAWN | 1.5 |
| 25.4 SQUARE | DRAWN | | | 40 SQUARE | AR | |
| 28.58 SQUARE | DRAWN | | | 40 SQUARE | Q&T | 11.2 |
| 30 SQUARE | DRAWN | | | 50 SQUARE | AR | 0.5 |
| 38.1 SQUARE | DRAWN | | | 50 SQUARE | Q&T | 1.5 |
| 40 SQUARE | BLACK | | | 75 SQUARE | AR | |
| 40 SQUARE | DRAWN | | | 75 SQUARE | Q&T | |
| 44.45 SQUARE | DRAWN | | | 100 SQUARE | AR | |
| 45 SQUARE | DRAWN | | | 110 SQUARE | AR | |
| 50.8 SQUARE | DRAWN | | | | | |
| 52 SQUARE | BLACK | | | | | |
| 63.5 SQUARE | DRAWN | | | | | |
| 65 SQUARE | DRAWN | | | | | |
| 75 SQUARE | DRAWN | | | 12L14 | | |
| 76.2 SQUARE | DRAWN | | | 44.45 SQUARE | AR | 0.0 |
| 88.9 SQUARE | DRAWN | | | | | |
| 90 SQUARE | DRAWN | | | | | |
| 100 SQUARE | DRAWN | | | | | |
| 101.6 SQUARE | DRAWN | | | | | |
| 114.3 SQUARE | DRAWN | | | | | |
| 127 SQUARE | DRAWN | | | | | |
| 150 SQUARE | DRAWN | | | | | |

| 1020, 1004B, 1016, U1010 FLAT BAR | | | | | | |
|-----------------------------------|-------------------|--------|--|--------------|-------------------|--------|
| SIZE | SURFACE CONDITION | TONNES | | SIZE | SURFACE CONDITION | TONNES |
| M1020 | | | | M1020 | | |
| 20x5 | DRAWN | | | 50x25 | DRAWN | 8.1 |
| 20x7 | DRAWN | | | 50x40 | DRAWN | |
| 20x10 | DRAWN | 0.3 | | 50.8x38.1 | DRAWN | |
| 25x10 | DRAWN | | | 75x10 | DRAWN | |
| 25x12 | DRAWN | 0.6 | | 75x12 | DRAWN | 0.8 |
| 25x15 | DRAWN | | | 75x15 | DRAWN | 0.3 |
| 25x16 | DRAWN | | | 75x20 | DRAWN | 7.3 |
| 25x20 | DRAWN | 0.5 | | 75x25 | DRAWN | 6.1 |
| 25.4x6.35 | DRAWN | | | 75x40 | DRAWN | |
| 25.4x12.7 | DRAWN | | | 75x50 | DRAWN | |
| 30x10 | DRAWN | 0.8 | | 76.2x12.7 | DRAWN | 0.5 |
| 32x10 | DRAWN | | | 76.2x31.75 | DRAWN | 0.3 |
| 32x25 | DRAWN | 0.1 | | 76.2x38.1 | DRAWN | |
| 38.1x12.7 | DRAWN | 0.8 | | 88.9x50.8 | DRAWN | |
| 40x7 | DRAWN | | | 100x10 | DRAWN | |
| 40x10 | DRAWN | 5.9 | | 100x12 | DRAWN | |
| 40x12 | DRAWN | 0.4 | | 100x20 | DRAWN | |
| 40x15 | DRAWN | 0.5 | | 100x25 | DRAWN | |
| 40x20 | DRAWN | | | 100x40 | DRAWN | |
| 40x25 | DRAWN | | | 101.6x38.1 | DRAWN | 0.3 |
| 44.45x31.75 | DRAWN | | | 101.6x50.8 | DRAWN | |
| 50x6 | DRAWN | 0.3 | | 101.6x76.2 | DRAWN | |
| 50x7 | DRAWN | | | 127x76.2 | DRAWN | |
| 50x10 | DRAWN | | | 150x12 | DRAWN | 0.3 |
| 50x12 | DRAWN | 0.2 | | 150x20 | DRAWN | |
| 50x15 | DRAWN | | | 150x25 | DRAWN | |
| 50x20 | DRAWN | 11.8 | | 152.4x25.4 | DRAWN | |
| | | | | | | |

1004B

| | | |
|------|-------|-----|
| 16x5 | DRAWN | 1 |
| 32x5 | DRAWN | 3.2 |
| 40x5 | DRAWN | 3.9 |

U1010

| | | |
|------|-------|-----|
| 25x7 | DRAWN | 2.2 |
|------|-------|-----|

1214 (230M07)

| | | |
|-----------|-------|-----|
| 50.8x38.1 | DRAWN | 0.2 |
|-----------|-------|-----|

1045

| | | |
|-------|-------|-----|
| 32x10 | BLACK | 3.6 |
|-------|-------|-----|

4140, MECAPLUS HOLLOW BAR

| DIA | SURFACE CONDITION | TONNES | | DIA | SURFACE CONDITION | TONNES |
|--------|-------------------|--------|--|----------|-------------------|--------|
| 4140 | | | | 4140 | | |
| 50x25 | AR | | | 118x63 | Q&T | 0.7 |
| 50x32 | AR | | | 118x80 | AR | |
| 63x32 | Q&T | | | 118x90 | Q&T | |
| 63x40 | AR | | | 119.6x56 | Q&T | |
| 63x45 | Q&T | 6.6 | | 125x71 | Q&T | 1.1 |
| 66x44 | AR | | | 125x80 | Q&T | 3.4 |
| 71x36 | Q&T | | | 125x100 | Q&T | |
| 71x45 | Q&T | 3.5 | | 132x71 | Q&T | 2.6 |
| 71x50 | Q&T | 1.0 | | 132x80 | AR | |
| 75x40 | AR | | | 132x80 | ANN | |
| 75x45 | Q&T | | | 132x80 | Q&T | 3.4 |
| 80x40 | Q&T | 4.0 | | 132x90 | Q&T | 0.8 |
| 80x50 | AR | | | 135x85 | Q&T | |
| 85x45 | Q&T | 2.5 | | 140x60 | Q&T | 1.4 |
| 85x67 | Q&T | 3.7 | | 140x80 | Q&T | |
| 90x40 | AR | | | 140x90 | Q&T | |
| 90x45 | Q&T | | | 140x100 | Q&T | 0.9 |
| 90x50 | Q&T | 1.0 | | 150x80 | Q&T | 1.4 |
| 90x63 | AR | | | 150x106 | Q&T | |
| 95x45 | Q&T | 3.9 | | 150x114 | Q&T | 2.5 |
| 95x50 | Q&T | 2.9 | | 160x90 | AR | |
| 95x60 | Q&T | 3.8 | | 160x112 | Q&T | |
| 95x63 | Q&T | 4.0 | | 170x100 | AR | |
| 100x56 | Q&T | 0.9 | | 190x132 | Q&T | 0.1 |
| 100x71 | AR | | | 200x112 | Q&T | |
| 106x56 | Q&T | 1.7 | | 200x140 | AR | |
| 106x63 | Q&T | | | 225x140 | Q&T | |
| 112x63 | Q&T | 3.1 | | | | |
| 112x80 | Q&T | | | | | |

| MECAPLUS 470 | | |
|--------------|----|--|
| | AR | |

| ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE | | | | | |
|---|--|--------|--|--------------|--------|
| DIA | | METERS | | DIA | METERS |
| 47.62x38.1 | | 4.0 | | 114.3x101.6 | |
| 50.8x38.1 | | 86.3 | | 120x100 | |
| 57.15x44.45 | | | | 120.65x101.6 | |
| 60x50 | | | | 127x101.6 | 39.4 |
| 60.32x50.8 | | | | 127x114.3 | |
| 63.5x50.8 | | | | 139.7x127 | 1.7 |
| 69.85x57.15 | | | | 146.05x127 | |
| 70x55 | | 75.3 | | 150x125 | 12.8 |
| 76.2x63.5 | | | | 152.4x127 | |
| 82x70 | | 4.4 | | 152.4x139.7 | |
| 82.55x63.5 | | | | 165.1x152.4 | |
| 82.55x69.85 | | 54.4 | | 168.2x152.4 | |
| 88.9x76.2 | | 16.3 | | 170x140 | |
| 95x80 | | | | 171.45x152.4 | 17.4 |
| 95.2x76.2 | | 24.7 | | 180x150 | |
| 95.25x82.55 | | | | 190x160 | 12.4 |
| 100x80 | | | | 203.2x177.8 | |
| 101.6x88.9 | | 26.4 | | 210x180 | |
| 107.95x88.9 | | | | 228.6x203.2 | 19.1 |
| | | | | 254x228.6 | |
| | | | | | |